



Accidents Waiting to Happen

Toxic Threats to Our Rivers, Lakes, and Streams

FRONTIER GROUP



PIRGIM
Education Fund

Accidents Waiting to Happen

Toxic Threats to Our Rivers, Lakes, and Streams

FRONTIER GROUP



PIRGIM
Education Fund

Written by:

Gideon Weissman

Frontier Group

John Rumpler

Environment America Research & Policy Center

February 2019

Acknowledgments

Environment Michigan Research & Policy Center thanks Anthony Ingraffea, Dwight C. Baum Professor of Engineering Emeritus and Weiss Presidential Teaching Fellow at Cornell University, and Kelly Hunter Foster, Senior Attorney at Waterkeeper Alliance, for their review of drafts of this document, as well as their insights and suggestions. Thanks to Pat Calvert of the Virginia Conservation Network, Trent Dougherty of the Ohio Environmental Council, Peter Harrison of Earthjustice, and Larissa Liebmann of the Waterkeeper Alliance for reviewing a previous report on coal ash spills, much of which was incorporated into this document. Thanks to Teague Morris, formerly of Frontier Group, for his work on early versions of this report. Thanks also to Tony Dutzik, Susan Rakov and Elizabeth Ridlington of Frontier Group for editorial support.

Environment Michigan Research & Policy Center thanks the Sharpe Family Foundation and the Park Foundation for making this report possible. The authors bear responsibility for any factual errors. The recommendations are those of Environment Michigan Research & Policy Center. The views expressed in this report are those of the authors and do not necessarily reflect the views of our funders or those who provided review.

© 2019 Environment Michigan Research & Policy Center

The Environment Michigan Research & Policy Center is a 501(c)(3) organization. We are dedicated to protecting Michigan's air, water and open spaces. We investigate problems, craft solutions, educate the public and decision-makers, and help Michiganders make their voices heard in local, state and national debates over the quality of our environment and our lives. For more information about Environment Michigan Research & Policy Center or for additional copies of this report, please visit www.environmentmichigancenter.org.

With public debate around important issues often dominated by special interests pursuing their own narrow agendas, PIRGIM Education Fund offers an independent voice that works on behalf of the public interest. PIRGIM Education Fund works to protect consumers and promote good government. We investigate problems, craft solutions, educate the public, and offer citizens meaningful opportunities for civic participation. For more information about PIRGIM Education Fund or for additional copies of this report, please visit www.pirgimedfund.org.

Frontier Group provides information and ideas to help citizens build a cleaner, healthier and more democratic America. Our experts and writers deliver timely research and analysis that is accessible to the public, applying insights gleaned from a variety of disciplines to arrive at new ideas for solving pressing problems. For more information about Frontier Group, please visit www.frontiergroup.org.

Layout: Alec Meltzer/meltzerdesign.net

Cover photo: Roy Luck via Flickr (CC BY 2.0)

Contents

Executive Summary	1
Introduction	4
Thousands of Dangerous Sites Threaten America’s Water	5
Industrial Use of Toxic Chemicals Puts Water at Risk.....	5
Industrial Spills Are Common	6
Threat Spotlight: Industrial Toxic Chemical Storage in New Jersey Flood Zones	8
Risky Oil Trains and Pipelines Run Along and Across Waterways	9
Rail and Pipeline Oil Spills Happen Frequently	11
Threat Spotlight: The Bakken-Chicago Oil Rail Route Runs Along the Mississippi River for 150 Miles. . .	12
Threat Spotlight: The Keystone Pipeline Crosses Thousands of Waterways and Runs through Hundreds of Miles of Flood Zone.....	14
Manure Lagoons Threaten Ecosystem Destruction	15
Waste Lagoon Spills Are Common.....	17
Threat Spotlight: North Carolina’s Waste Lagoons Put Water at Risk	18
Deteriorating Coal Ash Pits Lie on the Banks of Major Rivers.....	18
Coal Ash Leaks and Spills Are Common	20
Threat Spotlight: Coal Ash Pits by Waterways and in Flood Zones	22
Fracking Wastewater Pits Threaten Toxic Spills.....	24
Fracking Wastewater Spills Are Common.....	26
Threat Spotlight: Wastewater Pits in Pennsylvania.....	27
Conclusion and Policy Recommendations	28
Methodology	30
Industrial Sites	30
Coal Ash	30
Oil Trains and Pipelines	30
Fracking Wastewater	30
Notes	31

Executive Summary

Clean water is essential to America's health and welfare. Our lakes, rivers, streams and creeks provide us with water to drink, give character to our most beautiful natural places, and give us places to fish and swim. Yet, across the country, thousands of miles of waterways are threatened by at least one of five major potential sources of contamination: coal ash pits, oil pipelines and trains, fracking wastewater pits, animal waste lagoons, and toxic chemical storage facilities.

The following analysis and review finds thousands of "accidents waiting to happen" across the country, including 31 toxic facilities in flood zones in New Jersey; 170 hog waste lagoons in flood zones in North Carolina; and at least 326 coal ash ponds at coal plants within a quarter-mile of a waterway. Many of these facilities could, in the event of a spill, devastate the environment and threaten human health.

To protect our waterways, policymakers must reduce our dependence on these inherently risky facilities and stop siting them near the water's edge.

Industrial sites use toxic chemicals that pose long-term threats to the health of humans and wildlife:

- Many industrial facilities use and store harmful chemicals that can damage waterways in the event of an accident. In 2016, more than 21,000 facilities nationwide reported managing 14 million tons of toxic waste – a number likely far lower than all non-waste toxic material stored and used in production processes.¹
- Recent spills from a wide variety of industrial sites have threatened drinking water and damaged the environment:
 - In 2017, a storage facility spilled chemicals into a creek near Roanoke, Virginia, killing tens of thousands of fish.²
 - In 2017 a steel plant in Portage, Indiana, spilled chromium, a heavy metal, into Lake Michigan, causing a nearby community to shut off its drinking water intake.³
 - In March 2018, a spill of ferric chloride at a Georgia chicken processing plant killed more than 8,000 fish.⁴
- In New Jersey, which requires facilities to report on hazardous chemical storage, 31 industrial facilities with at least five toxic chemical storage units on site are located in a 100-year flood zone. Of those facilities, 16 are in the heavily populated Newark-Jersey City area across the Hudson River from New York City.

Oil is transported via train and pipeline routes along and across America's rivers.

- Millions of gallons of oil are transported daily across the country on America's 140,000 miles of freight railroads and through roughly 400,000 miles of long-distance pipelines, often alongside and across rivers and streams.⁵
- Oils spills frequently occur during transportation by rail and pipeline. Since 2000, 21 railway spills and 734 pipeline spills of crude oil over

1,000 gallons have been reported by the Pipeline and Hazardous Materials Safety Administration (PHMSA).⁶

- One rail oil route linking the Bakken shale fields of North Dakota with Chicago travels alongside the Mississippi River and through a 100-year flood zone for at least 154 miles. A train traveling this route was responsible for a 2015 spill that came close to contaminating the Mississippi River. And the Keystone Pipeline travels for 455 miles through flood zones on its route from North Dakota to Texas, while crossing 2,370 waterways.

Animal waste lagoons at factory farms threaten lakes and streams with pollution.

- In 2007, 2.2 billion livestock and poultry in the U.S. produced 1.1 billion tons of manure.⁷ Most livestock in the U.S. are raised in concentrated animal feeding operations (CAFOs) where waste must be managed and stored.⁸ A CAFO produces about 20,000 tons of waste per year on average, and a single farm with 2,500 dairy cows produces as much solid waste as a city of 411,000 people.⁹
- Lagoons frequently spill or overflow. In 2018, Hurricane Florence caused at least 32 hog waste lagoon overflows in North Carolina.¹⁰ And a study published in 2000 found that, from 1995 to 1998 in just 10 surveyed states, there were more than 1,000 animal waste spills that killed 13 million fish.¹¹
- In North Carolina alone, there are 170 hog waste lagoons within 100-year floodplains, and 136 within a half-mile of a public water well, according to an Environmental Working Group/Waterkeeper Alliance analysis of satellite imagery.¹²

Pits of toxic coal ash sit along America's major rivers and lakes.

- Large impoundments at coal-fired power plants store ash, a toxic byproduct of burning coal. As most coal-fired electric power plants are located next to bodies of water for cooling purposes,

these coal ash pits are often located along rivers and lakes, sometimes separated from waterways by only a thin retaining wall.

- Coal ash pits frequently spill and leak.
 - In 2018, floodwaters from Hurricane Florence inundated a coal ash pond at the Sutton Plant in North Carolina, sending toxic ash waste into a nearby lake and the Cape Fear River.¹³
 - In 2008, a coal ash pit at the Kingston Plant in Tennessee spilled 5.4 million cubic yards of coal ash waste into the Emory and Clinch rivers.¹⁴ Following the spill, sediment samples were devoid of life, and fish were found with elevated levels of toxic selenium and mercury.
 - An analysis of electric utility reporting by Earthjustice in December 2018 found evidence of harmful groundwater contamination in 22 states at 67 different coal plants.¹⁵
- In the U.S., 181 coal plants with on-site coal ash pits lie within a quarter-mile of freshwater or ocean, and 26 lie in a Federal Emergency Management Agency 100-year flood zone.¹⁶ These 181 plants generate at least 50 million tons of coal ash each year.¹⁷ They are also home to at least 326 coal ash pits, including 22 that were found to be in poor condition according to a 2014 U.S. Environmental Protection Agency (EPA) assessment.

Fracking waste pits store toxic and radioactive wastes.

- Fracking wastewater pits contain waste from hydraulic fracturing, a method of producing oil and gas. For each well, hydraulic fracturing can require pumping millions of gallons of fracking fluid – water often mixed with sand and hundreds of chemicals – underground. After the fracking process is complete, the fluid that flows back to the surface also contains additional toxic substances from underground, and is then often stored in uncovered pits that are prone to spills and leaks.

- Fracking wastewater pits frequently spill. A 2017 study in *Environmental Science & Technology* found approximately 400 wastewater pit spills in just four states between 2005 and 2014.¹⁸
- In Pennsylvania, among 254 fracking wastewater pits identified by SkyTruth in 2015, more than one in four – 69 in total – were located within a quarter-mile of a stream or river.

To protect our waterways, state and local governments should strictly regulate activities that involve the production, storage or use of large quantities of dangerous substances, and ensure that, to the extent those activities occur, they take place far from water. Policymakers should:

- Transition away from industrial operations that use or generate huge volumes of toxic or other waste that threatens our water and our health. For each type of “accident prone” operation profiled in this report, safer alternatives exist. For example, many manufacturers have reduced their use of toxic chemicals by switching to safer alternatives or making production less wasteful.
- As that transition is underway, ensure that facilities that use or store large quantities of toxic material are not permitted near our waterways. In particular, officials should keep areas near our rivers, lakes, streams and wetlands free from facilities that pose major pollution, and should work to close or relocate facilities currently sited by water.
- Strengthen and enforce regulations on the storage and handling of toxic materials at sites that cannot be relocated or closed.
- Reject any efforts to weaken existing federal clean water protections – including current measures to undermine modest rules for coal ash and severely limit the jurisdiction of the Clean Water Act.



At the Kingston Fossil Plant, Ash Pond C contained decades worth of toxic coal ash waste. When the coal ash pit’s dike failed, more than 1 billion gallons of coal ash waste flowed into the nearby Emory and Clinch rivers.²⁸ Image: ©2019 Google

Introduction

Early in the morning of December 22, 2008, a dike burst at the Kingston Fossil Plant in Harriman, Tennessee. The dike was the only barrier preventing coal ash, a waste byproduct of coal burning, from spilling into the Emory River just a few feet away.¹⁹

When the dike broke, more than 5.4 million cubic yards of ash – 1.1 billion gallons, more than the amount of oil spilled during the BP Deepwater Horizon oil spill – came pouring out, flowing into the Emory and nearby Clinch rivers, damaging 15 homes and rendering three others permanently uninhabitable.²⁰ Coal ash contains dangerous substances such as arsenic, lead, mercury, cadmium, chromium and selenium, which threaten human health and wildlife.²¹

Video footage revealed large numbers of dead fish washed up on the shore downstream from the spill, despite assurances from the Tennessee Valley Authority that contaminants in water samples were within acceptable levels.²² The next year, samples from the river were devoid of life.²³ “It looks like something you would have got off the moon,” Appalachian State University biologist Shea Tuberty told National Public Radio in 2009.²⁴ A Duke University study of downstream river sediment found levels of arsenic at 2,000 parts per billion – 200 times the level safe for drinking water.²⁵

In the years since the spill, its long-term consequences for human health have become clearer. By

2018, ten years after the spill, more than 30 people who had worked to clean up the spill had died of illness.²⁶ Their survivors, along with sick workers, won a lawsuit in 2018 against the company that handled the cleanup, alleging that exposure to coal ash led to illness and death.²⁷

Generating billions of gallons of toxic waste makes little sense. Storing that waste so close to a major river invites disaster. Yet the Kingston Fossil Plant is far from the only place where highly toxic and dangerous substances are located a stone’s throw from our most important waterways. Across the country, thousands of facilities storing toxic chemicals and dangerous waste – such as fracking fluid, agricultural waste, and caustic industrial chemicals – sit alongside America’s rivers, streams and lakes. Many of these facilities are poorly regulated or barely monitored.

In many cases, the risks posed by these facilities can be avoided. Safer methods of industrial production and more sustainable farming operations can alleviate the need to store toxic chemicals or vast quantities of animal waste. Clean energy can eventually eliminate or dramatically reduce the need to frack for oil and gas or store coal ash alongside waterways. In the meantime, we can prevent these risks from getting worse by preventing the construction of risky facilities, especially near waterways. And for existing facilities, strong regulation and effective enforcement of environmental laws can lessen the risk to our waterways and our health.

Thousands of Dangerous Sites Threaten America's Water

Clean water is essential to America's health and welfare. Fresh water is where we fish, swim and play, and it is critical to wildlife, our economy, and our basic survival.

Each day, America's waterways are put at risk by the thousands of industrial, agricultural and fossil fuel facilities and operations that line their shores, sometimes mere feet from the water's edge. Many of these facilities are poorly maintained and poorly regulated, and spills can occur as a result of events ranging from bad weather to simple deterioration.

In daily life, these sites often appear in isolation – a pipeline through the neighborhood, or a chemical plant sitting by the local river. A review of the multitude of hazardous facilities near our waterways reveals that these facilities constitute a systemic problem that puts waterways across the country in peril.

The following sections illustrate five types of threats facing American waterways. Each section presents information on the threat, case studies on recent spills, and data on looming problems.

- Industrial facilities that store toxic substances.
- Oil rail lines and pipelines.
- Manure lagoons at factory farms.
- Coal ash pits.
- Fracking waste pits.

Industrial Use of Toxic Chemicals Puts Water at Risk


Many facilities, from a wide variety of industries, use large quantities of harmful chemicals that can damage waterways in the event of an accident. According to the EPA, "facilities in industrial sectors like chemical and metal manufacturing, mining and food processing are responsible for nutrient and metal pollution in lakes, rivers and streams, and can degrade water quality and threaten drinking water sources."²⁹

The quantity of chemicals kept in storage or used in processes on industrial sites is unknown. In 2016, more than 21,000 facilities submitted data to the EPA's Toxic Release Inventory (TRI) and reported managing 14 million tons of toxic waste.³⁰ Yet this amount



A tank rupture at this Freedom Industries plant in West Virginia spilled up to 7,500 gallons of the chemical MCHM into the Elk River, poisoning residents and interrupting the water supply of 300,000 people. Image: U.S. Chemical Safety Board

Figure 1. In New Jersey, the Total Weight of Toxics Used Is Almost 100 Times Higher Than Toxic Waste Produced³²



does not include non-waste chemicals. In New Jersey, where companies are required to report total toxic chemical use along with toxic waste, the total weight of toxics in use is almost 100 times higher than toxic waste produced.³¹

Industrial sites are often located near bodies of water in order to use water for cooling, to have access to water transportation, or to make waste discharges. Sites far from water's edge can also pose a spill threat. In the case of a Louisiana paper mill, a malfunction in a water treatment system caused a fish kill in a river 1.5 miles away, after waste was discharged through the plant's water treatment system connecting it to the waterway. (See page 7 for more details.)

Industrial Spills Are Common

Data collected by the National Toxic Substance Incidents Program (NTSIP) indicates that toxic industrial spills are common. In 2012, NTSIP estimated that 15,483 acute, emergency toxic release incidents occurred across the country. Of those, approximately 3,700 were spills of toxic liquids or solids that occurred at fixed facilities (as opposed to during transportation).³³

In recent years, industrial spills from many types of industries have damaged water.

In April 2017, a U.S. Steel Corporation plant in Portage, Indiana, spilled 298 pounds of hexavalent chromium into a waterway connected to Lake Michigan.³⁴ The chemical spilled from a corroded pipe. Long-term exposure to even small amounts of hexavalent chromium can damage DNA, and cause lung, skin and kidney cancer. The chemical was made infamous by the movie *Erin Brockovich*. Chicago's Department of Water Management sampled water in Lake Michigan one mile from the spill and detected a hexavalent chromium level of two parts per billion, 13 times higher than normal although below the threshold of what is considered safe by the EPA.³⁵ Three local beaches were closed as a result of the incident, and a nearby community shut off its drinking water intake.³⁶ Just six months later, the same plant spilled chromium (and likely hexavalent chromium) a second time; in November 2017, the city of Chicago threatened a lawsuit.³⁷

In January 2014, a tank containing 4-methylcyclohexane methanol (MCHM) and a mix of glycol ethers (PPH) ruptured at a Freedom Industries chemical processing plant, spilling approximately 10,000 gallons of MCHM into the Elk River in Charleston, West Virginia, the community's primary source of drinking water.³⁸ The U.S. Chemical Safety Board found that Freedom Industries had "failed to inspect or repair corroding tanks." Little is known about the human health effects of MCHM, a chemical used for cleaning coal. However, nearly 700 residents reported poison-

ing symptoms, and local hospitals recorded symptoms including nausea, rashes, vomiting, abdominal pain and diarrhea in patients who had been exposed to the water.³⁹ Approximately 300,000 people served by a local water company were advised not to drink, shower, or cook with tap water, and the local water treatment facility needed to be completely flushed in order to eliminate the chemical.⁴⁰ For weeks after the spill, residents reported a strong licorice odor coming from the water, a smell that was later determined to be detectable in water containing 1.5 parts per trillion MCHM.⁴¹

In August 2011, a paper mill in Bogalusa, Louisiana, spilled “black liquor,” a byproduct of paper manufacturing, into the nearby Pearl River, resulting in the deaths of thousands of fish.⁴² The liquid was released as a result of a malfunction in the plant’s wastewater treatment system.⁴³ A fisherman reported that water turned jet black and foam trailed behind his boat, and an ecologist reported to the

Times-Picayune that the spill and fish kill spanned at least 47 miles of the river.⁴⁴

Other recent industrial incidents have also damaged waterways or put them at risk. In March 2018, a spill of ferric chloride at a Georgia chicken processing plant killed more than 8,000 fish.⁴⁵ In November, 2018, an oil refinery in San Antonio spilled 50 gallons of the toxic chemical naphtha into the San Antonio River, although officials did not report environmental damage.⁴⁶ In 2017, Hurricane Harvey caused more than 100 toxic releases in the Houston area, including some that impacted waterways, according to an analysis by the Associated Press and the Houston Chronicle.⁴⁷ In October 2017, Dover Chemical spilled sodium hydroxide (lye) into Sugar Creek in Ohio, killing fish in a two-mile stretch of the river.⁴⁸ In July 2017, the Ford Truck Plant in Kentucky spilled urea into Hite Creek, killing as many as 700 fish.⁴⁹ Also in July 2017, a store spilled a chemical additive for herbicides and pesticides into a creek in Roanoke, Virginia, killing tens of thousands of fish.⁵⁰



This U.S. Steel Corporation plant on the shore of Lake Michigan spilled hexavalent chromium, forcing the closure of adjacent beaches. Image: ©2018 DigitalGlobe, IndianaMap Framework Data, Landsat / Copernicus, U.S. Geological Survey, USDA Farm Service Agency

THREAT SPOTLIGHT:

Industrial Toxic Chemical Storage in New Jersey Flood Zones

New Jersey has a long history of industrial damage to waterways and a large and active chemical industry.⁵² Today, New Jersey has more Superfund hazardous waste sites than any other state.⁵³ New Jersey is also one of the few states that tracks storage of dangerous chemicals, as required by its Community Right to Know law, making it possible to identify facilities with dangerous chemicals that may put water at risk.⁵⁴

An analysis of data for 2017 finds that at least 31 facilities have at least five toxic chemical storage units on site and are located within a flood zone.⁵⁵ Sixteen of these facilities are in the Newark-Jersey City area near New York City, an area with numerous waterways including the Hackensack River.

Among the flood zone-located companies with the highest number of hazardous storage units on site are International-Matex Tank Terminals, a chemical storage and transfer company; Chemtex, a chemical importer for the fragrance industry; and Buckey Pennsauken Terminal, a warehousing and storage facility.

Figure 2. New Jersey Has 31 Facilities with at Least Five Toxic Storage Units on Site in Flood Zones, Including Many in the New York City Area⁵¹




Table 1. New Jersey Facilities in Flood Zones with Most Toxic Storage Units on Site⁵⁶

Company Name	Number of Toxic Storage Units on Site	Company Description	County
International-Matex Tank Terminals (IMTT)	183	Storage and transfer shipments of bulk liquids	Hudson
Chemtex USA	39	Chemical raw importer for fragrance industry	Essex
Buckeye Pennsauken Terminal LLC	34	Other warehousing and storage	Camden
Buckeye Terminals LLC	23	Other warehousing and storage	Essex
Harris Corporation	19	Electronic assembly	Passaic
Lawson Products Inc.	18	Distribution center	Essex
Citroil Enterprises, Inc.	17	Manufacturing food flavorings	Bergen
Salomone Bros Inc.	15	General contractor	Passaic
Eastern Concrete Materials	13	Ready mix concrete manufacturing	Hudson
International Flavors & Fragrances Inc.	13	Basic research to discover new flavors and fragrance	Monmouth
New York Terminals LLC	13	Chemical storage terminal	Union
Broadview Technologies, Inc.	10	Distributor of anhydrides, phosphates and anti-rust additives	Essex

Risky Oil Trains and Pipelines Run Along and Across Waterways

Millions of gallons of crude oil and petroleum products are transported daily across the country on America's 140,000 miles of mainline freight rail and through roughly 400,000 miles of long-distance pipelines.⁵⁷ Each year, pipelines carry approximately 9 billion barrels of crude oil and 7 billion barrels of petroleum products (refined products and natural gas liquids), and freight rail lines carry approximately 150 million barrels of crude oil.⁵⁸

These transportation systems, which carry huge amounts of environmentally destructive oil products and frequently travel near or across vulnerable rivers and streams, pose a threat to America's waterways.

Oil is a highly toxic material, and oil spills can devastate natural ecosystems. Crude oil's toxicity depends on its source and makeup; however, common component chemicals include known human carcinogens such as benzene.⁵⁹ Crude oil also contains polycyclic aromatic hydrocarbons (PAHs), which have been linked to skin, lung, bladder and stomach cancers.⁶⁰

Oil can affect all levels of aquatic ecosystems. In many fish species, oil is highly toxic to eggs and larvae and can result in decreased reproductive success.⁶¹ Oil can kill birds and mammals when it fouls their feathers or fur, harming their ability to insulate themselves from the cold.⁶² Oil is directly toxic to some forms of algae.⁶³ Oil pollution is also extremely persistent; in some cases oil has been detected in ecosystems 30



In 2015, a crude oil train derailed on the banks of the Galena River in Illinois. Image: U.S. Environmental Protection Agency

years after a spill.⁶⁴ Oil extracted from tar sands is particularly difficult to remove from the environment because of its high viscosity and density.⁶⁵

Trains and pipelines used for transporting oil frequently pass near or over water. Rail lines in particular are often built along rivers to maintain moderate grades.⁶⁶



Thousands of miles of crude oil pipelines crisscross the country. Image: U.S. Energy Information Administration

Both rail and pipeline oil transportation are vulnerable to spills. Major rail spills can occur following derailments, which can be caused by track defects or human error.⁶⁷ Most pipeline spills are caused by corrosion or equipment failure.⁶⁸ Pipelines deteriorate over time, and about 60 percent of U.S. fuel pipelines were built before 1970.⁶⁹ Buried pipelines can breach when they are accidentally struck during digging.⁷⁰ Pipelines are also frequently found with construction faults soon after they are built; many faults have been found in the Keystone Pipeline, the first leg of which spilled 12 times in its first year of operation.⁷¹

Despite the potential for and history of damaging spills, oil transportation, particularly by pipeline, is poorly regulated. As of 2012, only about 10 percent of country's 240,000 miles of "gathering" pipeline – the pipelines that carry oil and gas to processing facilities – fell under federal safety and construction regulations.⁷² Meanwhile, rail oil shipments are permitted to travel in mile-long trains, meaning that a single derailment can result in a serious spill.⁷³

Rail and Pipeline Oil Spills Happen Frequently


Oils spills frequently occur during transportation by rail and pipeline. Since 2000, at least 21 railway spills and 734 pipeline spills of crude oil over 1,000 gallons have been reported by the Pipeline and Hazardous Materials Safety Administration (PHMSA).⁷⁴ Many oil rail and pipeline spills in recent years have had serious consequences for waterways.

In February 2015, a train carrying crude oil from North Dakota derailed in Mount Carbon in central West Virginia. Investigators found that a broken rail on the track was likely the cause of the derailment.⁷⁵ Twenty-seven tank cars, each carrying nearly 30,000 of crude oil, derailed.⁷⁶ Approximately half of the cars ignited, leading to several multiday fires which burned down a home and caused evacuations in the area.⁷⁷ Some oil flowed into the nearby Kanawha River and Armstrong Creek, forcing the shutdown of two nearby water intakes and affecting water access for thou-

sands of customers of the West Virginia American Water Company.⁷⁸

In January 2015, a pipeline burst near Glendive, Montana, dumping approximately 50,000 gallons of oil into the Yellowstone River and causing the governor to declare a state of emergency.⁸⁰ Benzene was found in the water in the range of 10-15 parts per billion; long-term consumption of concentrations above 5 parts per billion presents a cancer risk in humans.⁸¹ Residents were told not to drink the tap water due to possible toxicity and reported that the water smelled like diesel. The spill happened in winter, when much of the river was frozen over, and oil was found in unfrozen areas of open water as far as 60 miles from the spill site. The spill harmed fish, causing gill, kidney and liver problems.⁸² It also harmed migratory and other birds, including bald eagles.⁸³ According to a report prepared by state and federal trustees for Montana and the U.S. Department of the Interior, “[t]hese open water areas are important habitats for migratory birds as they often provide the only available water when ice and snow blanket the area.”⁸⁴

Figure 3. Rail Crude Oil Spills Since 2000 and Pipeline Crude Oil Spills Since 2010 (Spills of 1,000+ Gallons)⁷⁹



THREAT SPOTLIGHT:

The Bakken-Chicago Oil Rail Route Runs Along the Mississippi River for 150 Miles

The Mississippi River is the nation's most iconic river, critically important to America's economy, environment and wildlife. The Upper Mississippi – the section of the river that flows from the headwaters of Lake Itasca, Minnesota, until it converges with the Ohio River in Cairo, Illinois – is the only river to be congressionally designated

as both a nationally significant ecosystem and a nationally significant navigation system. It is also home to 127 species of fish and 30 species of freshwater mussels, while nearly 300 species of birds migrate through the river valley.¹⁰⁰ The banks of the Upper Mississippi River also serve as a transportation corridor for a major oil rail route – one that has already suffered a major spill.

Information about rail routes used for transporting crude oil is not publicly available.¹⁰¹ However, information

The Kalamazoo River Spill

On July 25, 2010, a 40-foot long section of pipeline carrying crude oil burst just south of Marshall, Michigan.⁸⁵ The pipeline was operated by Enbridge Energy, which owns the “largest, longest and most complex petroleum pipeline system in the world,” according to the company.⁸⁶ The pipeline was part of a system that starts in the Canadian tar sands in Alberta, running past dozens of small Minnesota lakes and ponds and alongside three of the Great Lakes before terminating in Sarnia, Canada, at the southern tip of Lake Huron.⁸⁷

The probable cause of the rupture was “corrosion fatigue cracks,” according to the National Transportation Safety Board.⁸⁸ The leak went undetected for more than 17 hours, until a local utility employee called Enbridge's emergency number.⁸⁹ At least 1.2 million gallons of tar sands oil, equivalent to almost two full Olympic swimming pools, spilled into the nearby Talmadge Creek, flowing into and blackening almost 36 miles of the Kalamazoo River.⁹⁰ It was the largest inland oil spill in American history.⁹¹

The Enbridge pipeline was carrying diluted bitumen, sometimes called “dilbit” or “tar sands oil,” a dense and dangerous substance that is heavier than water. The spilled oil sank to the bottom of the river, making standard cleanup equipment ineffective.⁹² Large stretches of the river were closed and remained off-limits for nearly two years.⁹³ Benzene, a cancer-causing chemical that is toxic at low doses, was measured in the area's waters at dangerous



In 2010, a crude oil pipeline spilled 1.2 million gallons of tar sands oil into the Talmadge Creek and Kalamazoo River, requiring a years-long cleanup effort. Image: U.S. Environmental Protection Agency

concentrations, at times up to 10,000 parts per billion, more than 2,000 times the health standard for benzene in drinking water.⁹⁴ Following the spill, a USGS fish survey found fish that were sick, deformed and suffering from lesions.⁹⁵

Because of the chemistry of tar sands oil, consequences of the spill are particularly long-term. Oil still remains in the sands beneath the Kalamazoo River, buried too deep for dredging to remove it.⁹⁶ More than 150 families were forced to permanently relocate.⁹⁷ Six years after the spill, trees along the river were found with rings of oil around their bark, still carrying the marks of oil from contaminated river water.⁹⁸

Figure 4. One Oil Rail Route Stretches from North Dakota to Chicago, Often Closely Following the Mississippi River⁹⁹



about oil rail routes can become public following rail oil spills, as in the case of a 2015 train derailment and spill near the city of Galena, Illinois, which narrowly avoided contaminating the Mississippi and Galena rivers.¹⁰²

Following that incident, rail experts contacted by the *Chicago Tribune* were able to conclude that the train must have been traveling from the Bakken oil fields in




Site of the rail oil spill by the Mississippi and Galena Rivers, near Galena, Illinois. Image: ©2018 Digital Globe, Google

North Dakota to Chicago, and would ultimately have been headed for refineries on the East Coast.¹⁰³ Based on that information, combined with information about the rail operator (BNSF), detailed rail routes from the Department of Transportation, and information about oil loading and unloading facilities collected by Oil Change International, it is possible to make a reasonable guess as to which train route the derailed oil train was on.¹⁰⁴

An analysis of the rail oil route in question finds that the route closely follows the Mississippi River for much of its length.¹⁰⁵ Of the 942-mile route from an oil loading station in Minot, North Dakota, in the Bakken shale fields to the city of Chicago, 149 miles of the rail line are within a half-mile of the Mississippi River. 154 miles of the total route fall within a Federal Emergency Management Agency (FEMA) flood zone. This rail line – with a demonstrated history of failure – puts one of America’s most beloved rivers at risk.

Figure 5. The Keystone Pipeline Makes 2,370 Waterway Crossings in the U.S.¹⁰⁶



THREAT SPOTLIGHT:

The Keystone Pipeline Crosses Thousands of Waterways and Runs through Hundreds of Miles of Flood Zone

For most crude oil pipelines, publicly available geographic data is too low-resolution to perform an accurate analysis.¹⁰⁷ For the Keystone Pipeline, however, a non-governmental effort called the Keystone Mapping Project has created a more detailed map using information from a variety of sources (for example, environmental impact statements).¹⁰⁸

The Keystone Pipeline has already suffered multiple spills, including a 210,000-gallon spill in November 2017.¹⁰⁹ A geographic analysis of the pipeline finds that it likely threatens thousands of waterways along much of its route. The pipeline makes 2,370 waterway crossings, more than 300 crossings in each of the six states it passes through. The pipeline also passes through 455 miles of FEMA flood zones, 11 percent of the total length of the pipeline. Much of the pipeline runs through


areas that have not been mapped by FEMA, so this estimate is likely conservative.

For 1.3 miles of its route, the Keystone pipeline runs through a flood zone by the Sabine River in northeast Texas. According to a report by Public Citizen, “[d]ozens of anomalies, including dents and welds” were found along a stretch of the pipeline in the area north of the Sabine River.¹¹⁰



Aerial view of the point where the Keystone Pipeline crosses the Sabine River in Texas. Image: ©2018 Digital Globe, Texas Orthoimagery Program, USDA Farm Services Agency¹¹²

Figure 6. Pipeline Path Through Flood Zone by the Sabine River in Texas¹¹¹



*This rupture in the Keystone Pipeline near Amherst, South Dakota, led to the spill of approximately 5,000 barrels of oil.¹¹³
Image: National Transportation Safety Board*

Manure Lagoons Threaten Ecosystem Destruction

In recent decades, meat and dairy production in America has undergone a radical shift. Livestock farms have decreased dramatically in number, but those that remain have grown much larger.¹¹⁴ More and more animals are being raised by industrial farming operations that keep hundreds or thousands of animals in confined facilities.¹¹⁵ In 1992, for example, less than a third of all hogs were raised on farms with more than 2,000 animals; in 2012, 97 percent of hogs were.¹¹⁶ As of the end of 2017, there were 19,961 “large” concentrated animal feeding operations (CAFOs) in the United States, defined as operations with at least 1,000 cattle, 10,000 swine or 125,000 chickens.¹¹⁷

Livestock produce huge amounts of waste. In 2007, 2.2 billion livestock and poultry in the U.S. produced 1.1 billion tons of manure.¹¹⁸ On smaller farms where animals are grazed on fields, droppings can be naturally dispersed and absorbed by crops. Most livestock in the U.S., however, are raised in densely packed facilities where waste must be managed and stored.¹¹⁹ A CAFO produces about 20,000 tons of waste per year on average, and a single farm with 2,500 dairy cows produces as much solid waste as a city of 411,000 people.¹²⁰

At many industrial livestock and poultry operations, animal waste is mixed with water and stored in pits known as waste lagoons.¹²¹ Often, lagoons are separated from waterways by only a narrow embankment.¹²² Waste lagoons are prone to spills and leaks. Spills can occur when lagoons crumble or overflow, including following periods of heavy precipitation or flooding.¹²³ Lagoons frequently leach waste into groundwater, risking contamination of drinking wa-

ter.¹²⁴ Waste can also spill into the environment when it is transported to fields via hoses and pipes, which can rupture or spring leaks.¹²⁵ When animal waste is applied to land, it can wash off of crops and contaminate waterways, particularly if waste is overapplied (either intentionally or accidentally) or applied before rainfall. Overapplication is common because U.S. factory farms generate far more waste than can be utilized by crops.¹²⁶ A 2018 University of Iowa study found that crop manure applications were leading to higher nitrate levels in two western Iowa watersheds, threatening water quality and public health.¹²⁷

Animal waste spills can severely damage waterways. Manure contains high levels of nitrogen and phosphorus, which can cause algae blooms in lakes and ponds and can destroy aquatic ecosystems.¹²⁸ Waste can also contain dangerous pathogens like *E. coli*. Additional pollutants found in waste can include growth hormones used on livestock, antibiotics, chemical additives to manure, and animal blood.¹²⁹



Hog waste lagoon in Georgia. Image: Natural Resources Conservation Service Georgia

Waste Lagoon Spills Are Common

Data on the full extent of waste lagoon spills is limited, but available evidence indicates that spills happen regularly and can be extremely damaging. A study published in 2000 found that, from 1995 to 1998 in just 10 surveyed states, there were over 1,000 livestock feeding operation spills that killed at least 13 million fish.¹³⁰ A study conducted by Missouri's Department of Natural Resources found that 63 percent of factory farms in the state suffered spills between 1990 and 1994.¹³¹ A *Chicago Tribune* analysis of data for Illinois found that "pollution incidents from hog confinements killed at least 492,000 fish from 2005 through 2014, nearly half of the 1 million fish killed in water pollution incidents statewide during that period," and impaired 67 miles of the state's rivers, creeks and waterways.¹³²

Waste lagoons are at increased risk of spilling during extreme weather. North Carolina, a major hog producing state, has seen repeated incidents of hog waste spills resulting from hurricanes. In 2018, Hurricane Florence caused at least 32 lagoons to overflow in the state, spilling millions of gallons of hog waste into tributaries of the South River and the Northeast Cape Fear River.¹³³ In 2016, Hurricane Matthew inundated at least 14 waste lagoons.¹³⁴ And in 1999, Hurricane Floyd resulted in the failure of at least 46 North Carolina waste lagoons, which contaminated tributaries of the Cape Fear, Neuse, and Tar Rivers.¹³⁵

In 2015, at the Cargill Meat Solutions slaughtering plant outside of Beardstown, Illinois, a breach in a waste lagoon's retaining wall released 29 million

gallons of hog waste into ditches and waterways in and around the plant.¹³⁶ Much of the waste flowed through drainage ditches until it reached a pumping station designed to protect low-lying Beardstown from flooding. The pumping station then pumped much of the waste into Muscooten Bay.¹³⁷ Ten days after the spill, state biologists counted 64,566 dead fish in the bay and linked waterways.¹³⁸

In 1995, in the biggest waste lagoon spill in U.S. history, an eight-acre hog waste lagoon in North Carolina suffered a dike collapse, releasing 25 million gallons of waste into the New River – a spill twice the size of the Exxon Valdez oil spill.¹³⁹ The waste was so thick that it took nearly two months to travel 16 miles downstream the Atlantic Ocean, killing "virtually all aquatic life" along the way.¹⁴⁰ The spill killed 10 million fish, and resulted in the closure of more than 350,000 acres of coastal wetlands for shellfishing.¹⁴¹

Major spills and leaks can also occur in the systems that transport or apply waste from lagoons to fields. In July 2012, animal waste from Hopkins Ridge Farms spilled into nearby Beaver Creek in Iroquois County, Illinois.¹⁴² The spill occurred when liquid manure was applied to cropland by an irrigation pivot at a rate of 300 gallons a minute for three days, as the liquid manure ran off the soaked earth and into the creek.¹⁴³ The spill contaminated 20 miles of river, killing 148,283 fish and 17,563 freshwater mussels.¹⁴⁴ Local resident Leland Ponton, 75, reported to the *Chicago Tribune* that the water "looked like ink," and was so dirty that "not even a wild animal could drink out of it." The spill may have eliminated nine fish species from the river, as well as two mussel species that were on the state list of threatened species.¹⁴⁵

THREAT SPOTLIGHT:

North Carolina's Waste Lagoons Put Water at Risk

A 2016 analysis of waste lagoons in North Carolina by the Environmental Working Group and Waterkeeper Alliance (EWG/Waterkeeper) helps reveal the extent of waste lagoons threats to water.¹⁴⁶


EWG/Waterkeeper's analysis of satellite imagery in North Carolina found 4,145 waste lagoons in the state, covering nearly 7,000 acres.¹⁴⁷ The analysis found that 170 of those waste lagoons were within a 100-year floodplain (from the North Carolina Flood Risk Information System), while 136 lagoons were within a half-mile of a public water well.

Deteriorating Coal Ash Pits Lie on the Banks of Major Rivers

When coal is burned, it leaves behind waste called coal combustion residuals, more commonly referred to as ash. In 2016, coal plants produced 107 million tons of ash, of which nearly half (47 million tons) was left over as waste and not used for other industrial processes.¹⁴⁹

According to data from the U.S. Energy Information Administration, nearly 90 percent of coal plants have a coal ash pit on site (other coal plants store ash in dry landfills).¹⁵⁰ In a coal ash pit, which is often dug into the land surrounding the coal plant, ash is mixed with water for storage. The ash eventually settles out of the water and is deposited at the bottom of the pit.¹⁵¹ The ash can then be collected and recycled in industrial or construction projects. As of 2012, there were at least 735 coal ash pits, located at 169 coal plants.¹⁵²

Figure 7. Livestock and Poultry Operations in North Carolina¹⁴⁸





Often, coal ash pits are separated from water by only a thin retaining wall, as was the case for a pit at the Kingston Fossil Plant in Tennessee, the site of one major spill. Image: Skytruth via Flickr (CC BY-NC-SA 2.0)

Coal Ash Pits Are Inherently Risky

Coal ash pits pose a great risk to waterways because coal ash is highly toxic, the pits are often located near waterways, and coal ash pits are susceptible to failure.

Coal ash contains dangerous substances such as arsenic, lead, mercury, cadmium, chromium and selenium, which threaten human health and wildlife.¹⁵³ These pollutants can damage the circulatory, respiratory and digestive systems and lead to neurological and reproductive problems. Additionally, arsenic and cadmium are known carcinogens.¹⁵⁴ These pollutants can also cause long-term damage to the environment. For example, the chemical element selenium can bioaccumulate, or build up in concentration, as it moves up the aquatic food chain, eventually becoming toxic to animals including fish and aquatic

invertebrates.¹⁵⁵ Selenium is fatal to fish at high doses, and at lower doses it can lead to decreased growth, weight changes, deformities, and reproductive problems.¹⁵⁶ Because coal can contain trace amounts of uranium and thorium, coal ash is also often radioactive.¹⁵⁷ In combustion waste, these elements can reach 10 times their original concentration in unburned coal.¹⁵⁸

In addition to the toxicity of coal ash, coal ash spills can also physically degrade the environment. Coal ash deposited after a spill can blanket and smother riverbeds and wildlife.¹⁵⁹ This physical degradation is particularly damaging to animals that live in the riverbed, including mussels, clams and insects.¹⁶⁰

Coal ash pits are often located on the edges of waterways in order to access water for filling the pit and because coal plants tend to be located next to water for cooling.¹⁶¹ Sometimes they are separated from waterways by only a thin retaining wall, as was the case for a pit at the Kingston Fossil Plant in Tennessee, the site of one major spill. Coal ash pits are also large, averaging over 50 acres in area with depths of 20 feet, on average able to hold the equivalent of almost 500 Olympic swimming pools' worth of wastewater.¹⁶²

Coal ash pits are susceptible to spills. During floods or heavy rains, uncovered coal ash pits can overflow and spill into nearby waterways.¹⁶³ For example, in 2018, floodwaters from Hurricane Florence inundated a coal ash pond at the Sutton Plant in North Carolina, sending toxic ash waste into a nearby lake and the Cape Fear River.¹⁶⁴

The biggest spills have occurred because of retaining wall failures.¹⁶⁵ The hazard is increased for aging or poorly constructed pits. In the case of the Kingston Fossil plant spill that resulted from a collapsed ash pit, the pit was more than 20 years old and the retaining wall had been built on a layer of "slimes" consisting of old ash, river silt and clay runoff.¹⁶⁶ When the slimes liquefied after a heavy rain, the wall collapsed.¹⁶⁷

Many coal ash pits are deteriorating or in poor condition, according to a February 2014 EPA assessment of 559 coal ash pits.¹⁶⁸ Of these, one in five were rated in poor condition, and more than half were rated as being in either fair or poor condition. The assessment also included an analysis of the level of hazard presented by each site, based on the potential for economic loss, environmental damage, or damage to infrastructure if the site fails. Of the sites assessed, 81 were found to have a “high” hazard level and another 250 presented “significant” hazard.¹⁶⁹

Coal Ash Pits Are Poorly Regulated

Despite the many risks associated with coal ash pits, they are poorly regulated.

Coal ash itself is not listed as a hazardous substance by the EPA.¹⁷⁰ Rather, it is categorized as “solid waste,” meaning it is regulated similarly to household garbage.¹⁷¹ And while some states regulate coal ash pits to some degree, for example by requiring pit liners, many unlined pits remain as a result of grandfather clauses.¹⁷²

Coal Ash Leaks and Spills Are Common

Coal ash pits frequently spill and leak, often resulting in severe damage to bodies of water. Damage can occur, however, even in the absence of a major spill.

Coal ash sites frequently contaminate groundwater. An analysis of electric utility reporting by Earthjustice in December 2018 found evidence of harmful groundwater contamination in 22 states at 67 different coal plants.¹⁷³ Contamination was from chemicals including arsenic, chromium, lead and selenium. The utility reports were published as the result of a U.S. EPA requirement that coal plant owners monitor groundwater and disclose when contamination exceeds federal limits. A separate 2014 analysis by Earthjustice found evidence of 208 sites where coal ash pits and landfills polluted waterways or groundwater, from either single spills or long-term leakage.¹⁷⁴

Coal ash groundwater contamination poses a threat to drinking water. In a lawsuit against the Tennessee Valley Authority, the Southern Environmental Law



Coal ash spill into the Dan River in North Carolina, 2014. Image: Waterkeeper Alliance/Rick Dove on Flickr (CC BY-NC 2.0)

Center (SELC) presented evidence that unlined coal ash pits were hydrologically linked to – and therefore likely responsible for contamination of – the Cumberland River, which provides drinking water to one million Tennessee residents.¹⁷⁵ That study helped convince a federal judge to rule that the Tennessee Valley Authority’s storage of coal ash waste in unlined pits violated the Clean Water Act.¹⁷⁶

When major spills do occur, damage to nearby waterways can be catastrophic.

In February 2014, 39,000 tons of coal ash and 27 million gallons of coal ash pit water spilled into the Dan River in Eden, North Carolina, after a pipe burst at Duke Energy’s Dan River Steam Station, located at the river’s edge.¹⁷⁷ Although the plant had recently transitioned from coal to natural gas, the plant still stored more than one million tons of coal ash waste in pits that were separated from the river by an earthen dam.¹⁷⁸ The coal ash contained arsenic, cadmium, chromium, mercury, selenium and other

toxic substances.¹⁷⁹ The Dan River is home to two endangered species (the Roanoke logperch and the James spiny mussel), is used for livestock watering and crop irrigation, and is a source of drinking water for residents in North Carolina and Virginia. In the wake of the spill, dead turtles were found onshore.¹⁸⁰ In an interview with the local Fox television affiliate, Jenny Edwards of the Dan River Basin Association said “[t]urtles should be hibernating this time of year. It’s cold. They hibernate down in the mud. The fact that they’re crawling up on the bank and dying, even if it’s not in mass numbers... It’s highly unusual.”¹⁸¹ After the spill, indications of coal ash contamination were also detected in nearby wells.¹⁸²

After the previously mentioned Kingston Fossil Plant spill (see page 4), river water near the site tested positive for mercury and arsenic, and contained levels of lead and thallium in excess of safety limits.¹⁸³ Elevated levels of selenium and mercury were found in several fish species near the site, creating the potential for long-term bioaccumulation and ecosystem dam-



Overhead view of ash pits at the Dan River Steam Station. Image: ©2018 Google

age.¹⁸⁴ Two years after the spill, only half of the spilled coal ash had been removed.¹⁸⁵ By 2018, ten years after the spill, more than 30 people who had worked to clean up the spill had died of illness.¹⁸⁶ Their survivors, along with sick workers, won a lawsuit in 2018 against the company that handled the cleanup, alleging that exposure to coal ash led to illness and death.¹⁸⁷ Following the completion of a seven-year, billion-dollar cleanup effort, more than 500,000 cubic yards of coal ash remained in the river.¹⁸⁸

THREAT SPOTLIGHT:

Coal Ash Pits by Waterways and in Flood Zones

An analysis of coal plant location data finds that 181 coal plants with on-site coal ash pits lie within a quarter-mile of freshwater or ocean, and 26 coal plants with ash pits lie in FEMA 100-year flood zones.¹⁸⁹ While hundreds of coal plant sites across the country likely put water at risk, those with coal ash pits located in flood zones may pose an elevated

threat, as being in a flood zone indicates both proximity to water and risk of flooding. (The estimate of coal plants in flood zones is likely conservative. See Methodology for details.)

The 181 plants within a quarter mile of water generate at least 50 million tons of coal ash each year.¹⁹⁰ They are also home to at least 326 coal ash pits, including 22 that were found to be in poor condition according to a 2014 U.S. Environmental Protection Agency (EPA) assessment. Seventy of the pits represented “high” or “significant” hazard potential in case of failure, indicating that impoundment failure would cause economic loss, environmental damage, or damage to infrastructure.¹⁹¹

Many of these plants sit along the Ohio River. The Ohio River runs 981 miles, beginning in Pittsburgh, traversing the Appalachian coal region and providing the borders of Ohio, West Virginia, Indiana, and Kentucky until it flows into the Mississippi River in Illinois. Along the way, it supplies drinking water for more than 3 million people.¹⁹⁴ It also sustains hundreds of

Figure 8. 181 U.S. Coal Plants with Coal Ash Pits Are within a Quarter Mile of Water; 26 Are in a 100-Year Flood Zone¹⁹²






Figure 9. 21 Coal Plants with Ash Ponds Are within a Quarter Mile of the Ohio River, and Five Are in a 100-Year Flood Zone¹⁹³



EPA-labeled aerial imagery of the J.M. Stuart coal plant on the Ohio River. Only one of the five coal ash pits assessed was in “satisfactory” condition.¹⁹⁷ Image: U.S. Environmental Protection Agency

animal species, including 47 species of mussel (eight of which are endangered) and nearly 200 species of birds, and supports vibrant and unique riparian forests, including those of the Ohio River Islands National Wildlife Refuge.¹⁹⁵ The Ohio River also hosts more than 20 coal plants on its shores, which use the river’s water for cooling – and to fill coal ash pits.

As of September 2018, 27 operable coal plants with onsite ash pits used the Ohio River as a water source. Of these, 21 are within a quarter mile of the river, and five of those plants are in a flood zone. The 21 plants produce more than 14 million tons of coal ash each year, and are home to at least 50 coal ash pits. Eighteen of the 21 plants were included in the EPA’s 2014 coal ash assessment report. Of those, all but two had an onsite coal pit that posed either a “high” or “significant” hazard. The J.M. Stuart Station in Aberdeen, Ohio, had five coal ash pits assessed, three of which were in “poor” condition. In 2012, the J.M. Stuart plant generated 1.6 million tons of coal ash.¹⁹⁶


Fracking Wastewater Pits Threaten Toxic Spills

“Fracking” refers to the combination of two drilling techniques, hydraulic fracturing and horizontal drilling, to extract oil and gas from rock formations deep underground.¹⁹⁸ To frack a well, water mixed with a chemical cocktail – referred to as “fracking fluid” – and sand is pumped at high pressure into a shale oil or gas deposit, which fractures the rock, enabling gas and oil, along with a mixture of fracking fluid and brine from the rock layer itself, to flow to the surface.¹⁹⁹


Fracking a single well can require millions of gallons of fracking fluid, and the wastewater that flows back to the surface from the well must be stored, transported and ultimately disposed of somewhere.²⁰⁰ This fluid is often stored in aboveground pits where it may either be left to evaporate or transported to underground storage sites.²⁰¹



Sluice lines entering “Pond 5” at the J.M. Stuart Station, located in an Ohio River flood zone. Pond 5 was found by an EPA assessment to be in “poor” condition, and to pose a “significant” hazard to the surrounding area. Image: U.S. Environmental Protection Agency



A fracking waste pit at a natural gas drilling site in the Marcellus Shale in Pennsylvania. Image: United States Geological Survey



Shale oil and gas reserves can be found across the U.S. Image: U.S. Energy Information Administration

Although data on the precise number of fracking wastewater pits is not available, extensive fracking has taken place across the country since the early 2000s. From 2005 to 2016, at least 137,000 wells were drilled in the United States. In 2014, these wells produced at least 14 billion gallons of wastewater, not counting wastewater produced in some major fracking states where wastewater data is not available.²⁰²

Waste pits pose extensive risks to waterways, because fracking wastewater is highly toxic, and because pits are often located near water, are likely to spill, and are poorly regulated.

Fracking wastewater contains fracking fluid and naturally occurring substances picked up underground, both of which include highly toxic substances that can persist in the environment for many years.²⁰³ More than 1,000 different chemicals have been used in fracking fluid, many toxic.²⁰⁴ In one analysis of fracking fluid chemicals, 157 were found to be linked to reproductive or developmental health problems, and toxicity information was lacking for hundreds of others.²⁰⁵ Naturally occurring underground chemicals include oil byproducts, which can cause kidney and liver damage and reproductive problems, and radioactive materials, which can cause lung and bone cancer, lymphoma and leukemia.²⁰⁶

In part because of their enormous water demands, fracking operations and their accompanying wastewater pits are often located near bodies of water.²⁰⁷ One journalist documenting fracking along the Colorado River wrote of paddling under pipelines and alongside drilling operations during a trip down the river.²⁰⁸

Wastewater pits present overflow and leak hazards. A frequent cause is rain or other flooding, which can overflow pits and cause spillage into nearby waterways.²⁰⁹ Wastewater pits can contaminate nearby water and groundwater even without overflowing through seepage and liner failure.²¹⁰ Spills can also occur during transportation of wastewater to storage sites. For example, a broken wastewater pipeline in North Dakota spilled 3 million gallons of fracking wastewater in 2015.²¹¹

Despite the risks they present, fracking wastewater pits are poorly regulated. Fracking waste is exempt from our nation's hazardous waste law, the Resource Conservation Recovery Act (RCRA), as well as the Safe Drinking Water Act (except in cases where diesel fuel is used).²¹² According to the EPA, for surface storage of wastewater in pits, "[s]tates, tribes, and some local governments have primary responsibility for adopting and implementing programs to ensure proper management of these wastes."²¹³ A 2013 policy survey by Resources for the Future found that state regulation of wastewater varies wildly, with variation in how states regulate storage methods, use of pit liners, and the allowable distance from wastewater to the top of the pit.²¹⁴ This variation in regulation does not even consider enforcement, a critical component of effective regulation.²¹⁵ An investigation in Kern County, California, found more than 300 unlined wastewater pits that had been illegally dug without permits.²¹⁶

Fracking Wastewater Spills Are Common

Although data on fracking wastewater pit spills is scarce – a problem compounded by inconsistent and inadequate reporting requirements in different states – evidence suggests that they occur often. A 2017 study in *Environmental Science & Technology* found 6,648 reported fracking spills in Colorado, New Mexico, North Dakota and Pennsylvania between 2005 and 2014, of which more than 400 were likely wastewater pit spills.²¹⁷ A second paper drawn from the same data reported that 47 percent of all fracking spills took place within 750 feet of water, and 7 percent within 100 feet.²¹⁸

In 2007, a fracking waste pit overflowed into Acorn Fork Creek, Kentucky.²¹⁹ The river is an important habitat for the Blackside Dace, a federally protected threatened fish species. In the aftermath of the spill, river water became acidic, and its pH dropped from 7.5 to 5.6 (about the same pH as black coffee).²²⁰ In the area of the spill, the fracking waste killed virtually all visible life, with Blackside Dace developing gill lesions and suffering liver and spleen damage. According to the U.S. Fish and Wildlife Service, the spill "killed virtually all aquatic wildlife in a significant portion of the fork, including fish and invertebrates."²²¹ Despite the mandate that spills like this be reported by fracking companies, U.S. Geological Service scientists found out about the spill only because a local resident reported it.

In late 2015, a pipe carrying fracking wastewater to a disposal site ruptured, spilling 3 million gallons of wastewater into the Blacktail Creek north of Williston, North Dakota. Residents noticed that something was wrong with the river when it failed to freeze at the usual time of the year.²²² Levels of benzene, thallium and barium exceeded water quality standards in sampled water.²²³ In the spring, residents reported diminished wildlife in the area.²²⁴ Spilled chemicals were detected almost as far downstream as the Missouri River.²²⁵ One year later, traces of radium remained at the site.²²⁶


THREAT SPOTLIGHT:

Wastewater Pits in Pennsylvania

Data on fracking wastewater sites is very limited. The state with the most comprehensive wastewater pit information is Pennsylvania, thanks to satellite imagery analyses conducted over the last decade by the organization SkyTruth.²²⁷ Although many of the pits identified in past years are no longer in use, their placement is likely illustrative of pits located elsewhere in the nation. In Pennsylvania, most wastewater pits were banned in October 2016, although some centralized waste pits are allowed to continue in use if they are permitted.²²⁸

Among 254 fracking wastewater pits identified by SkyTruth in 2015, more than one in four – 69 total – were located within a quarter-mile of a stream or river. The below image shows one such wastewater pit, located approximately 600 feet from the Loyalsock Creek by Montoursville. The pit and former well pad are also across the street from a residential community and down the street from Loyalsock Valley Elementary School.²²⁹

Figure 10. More than One in Four Pennsylvania Fracking Waste Pits Is within a Quarter Mile of a Stream or River, Including Many in Southwest Pennsylvania²³⁰



A fracking wastewater pit by Loyalsock Creek in Pennsylvania. Image: ©2019 Google²³¹

Conclusion and Policy Recommendations

America's lakes, rivers and streams are an essential part of our country's landscape, and we depend on them for drinking water, recreation and the preservation of wildlife. Yet risky industrial and agricultural sites near our waterways threaten many of the places that are most important to American communities. Activities ranging from the storage of agricultural waste to the transportation of crude oil have resulted time and again in spills that have led to severe and long-lasting damage to our waterways. Many of these dangerous operations next to waterways are accidents waiting to happen.

Fortunately, policymakers can take action to prevent future damage. Doing so requires first acknowledging that activities once seen as essential or beneficial – like burning coal for electricity, concentrating industry along riverbanks, and encouraging giant agricultural operations – are either no longer necessary or not worth their consequences.

To protect water from toxic spills and accidents, policymakers should:

Limit or end operations that pose severe threats to water.

The best way to prevent toxic spills and accidents is to limit activities that create the potential for spills in the first place. Policymakers should work to reduce risky activities in general, including by:

- Requiring industry to use safer alternatives to toxic chemicals.

- Placing a moratorium on large-scale livestock operations, especially those with manure lagoons.
- Banning fracking waste pits, pipes and other oil and gas operations that put water at risk.
- Ramping up clean energy and energy efficiency to replace fossil fuels, which are responsible for the facilities and activities behind some of the worst water accidents, including coal ash pit ruptures, rail and pipeline oil transportation disasters, and fracking wastewater spills.

Keep risky facilities away from water.

As long as high-risk, waste-generating operations remain, policymakers should ensure that they are kept far enough from waterways to eliminate the risk of contamination. Policymakers can do so by:

- Using existing powers under the Safe Drinking Water Act, anti-degradation provisions of the Clean Water Act, and other laws to bar facilities or operations that put drinking water sources at risk from spills or other accidental releases of pollution. The EPA should require water utilities to implement robust source water protection plans with such policies.
- Entering into conservation easements with land owners, which are legally binding agreements to limit certain uses that pose environmental risks. (States can use funds from the Drinking Water State Revolving Loan Fund to provide loans to local water systems for both

creating buffer zones and entering into conservation easements.²³²⁾

- Creating zoning laws, particularly at the local level, to bar facilities that generate or store vast quantities of chemicals or waste from being sited near waterways.

Set and enforce strict standards for existing risky facilities that already operate near waterways.

Strict standards should apply to any facilities that store or transport hazardous material near water. Policymakers can reduce the risk of damaging spills and accidents by:

- Creating strict laws regulating the storage of hazardous chemicals at sites that put freshwater at risk.

- Ensuring that facilities are regularly monitored for compliance with such laws, and enforcing penalties (especially financial penalties) for sites that violate the law.
- Requiring risky facilities to submit data on the storage of hazardous materials, and publishing data so that the public can assess risks to their community and environment.

Policymakers should also reject any efforts to weaken existing federal clean water protections – including current measures to undermine modest rules for coal ash and to strip Clean Water Act protections from thousands of streams and wetlands.

Methodology

Unless otherwise noted, geographic analyses used 100-year flood zone data from the Federal Emergency Management Agency (FEMA) and waterway data from the *1:100K National Hydrography Dataset*, created by the USGS and occasionally updated by the EPA.²³³

Industrial Sites

To find industrial or commercial facilities with on-site chemical storage in flood zones in New Jersey, facility locations were overlaid with flood map data. A database of facilities with chemicals on site was downloaded from the New Jersey Department of Environmental Protection's *Data Miner* tool.²³⁴ Facilities' physical locations were largely available in the database as a street address, and converted to latitude and longitude using the Geocodio service.

Coal Ash

Coal plant locations were downloaded from the U.S. Energy Information Administration.²³⁵ Coal plants assessed include all electricity generating facilities, including industrial power facilities, with a capacity of more than one megawatt.²³⁶ Plants do not include coal-burning facilities that do not produce electricity (for example, coal furnaces that produce heat for industry).

For the analysis of coal plants within a quarter mile of waterways, certain water features from the National Hydrography Dataset were not included in the analysis: features with the feature type "SwampMarsh," "CanalDitch," "Submerged Stream" and "Wash." "Reservoir" and "LakePond" features with an area of

less than one square mile were also not included, as many smaller pond and reservoir features represent coal ash ponds themselves.

The estimate of coal plants in flood zones is likely conservative. Coal plant location data were only available as single points representing each plant property. Many coal plants are both located near flood zones and also cover a large area (generally between 200 and 400 acres).²³⁷ Therefore, some plants that this analysis determined were outside the limits of a flood zone may in fact overlap with a flood zone.

Oil Trains and Pipelines

To find the length of Bakken-Chicago oil rail line and Keystone Pipeline located within a flood zone, route geographies were overlaid with flood zone data from FEMA. Rail line geographic data was downloaded from the U.S. Department of Transportation.²³⁸ The likely rail route was determined using the methodology described on page 13, using rail loading and unloading station data from Oil Change International.²³⁹

Keystone Pipeline geographic data was downloaded from the Keystone Mapping Project.²⁴⁰ Pipeline waterway crossings by state were found using a path intersection analysis using QGIS software.

Fracking Wastewater

To find fracking wastewater pit sites within a quarter mile of waterways, wastewater site locations were overlaid with hydrographic data from the USGS. Fracking wastewater pit site location data were downloaded from SkyTruth.²⁴¹

Notes

1 U.S. Environmental Protection Agency, *2016 Toxics Release Inventory National Analysis*, January 2018, archived at http://web.archive.org/web/20180126221231/www.epa.gov/sites/production/files/2018-01/documents/tri_national_analysis_2016_complete_0.pdf.

2 Associated Press, "Officials: Chemical Spill Caused Fish Kill in Virginia Creek," *U.S. News*, 31 July 2017.

3 Sarah Reese and Lauren Cross, "Update: Chicago Agency Finds Elevated Levels in Lake after U.S. Steel Leak," *NWI Times*, 13 April 2017.

4 Allie Dean, "Dawsonville Chicken Plant Chemical Spill Makes 'Dirty Dozen' List," *Dawson County News*, 16 November 2018, archived at <http://web.archive.org/web/20181121055737/www.dawsonnews.com/local/dawsonville-chicken-plant-chemical-spill-makes-dirty-dozen-list/>.

5 Quantity by pipeline: U.S. Energy Information Administration, *Petroleum and Other Liquids*, accessed at https://www.eia.gov/dnav/pet/pet_move_pipe_dc_R20-R10_mbb1_a.htm; quantity by rail: from U.S. Energy Information Administration, *Movements of Crude Oil and Selected Products by Rail*, https://www.eia.gov/dnav/pet/pet_move_rail_a_EPC0_RAIL_mbb1_a.htm; length of rail: Association of American Railroads, *What We Haul: Crude Oil by Rail*, accessed at <https://web.archive.org/web/20171227231150/www.aar.org/todays-railroads/what-we-haul/crude-oil-by-rail>, 29 December 2017; length of pipeline: U.S. Government Accountability Office, *Pipeline Safety: Collecting Data and Sharing Information on Federally Unregulated Gathering Pipelines Could Help Enhance Safety*, March 2012, archived at <http://web.archive.org/web/20190116035506/www.gao.gov/assets/590/589514.pdf>.

6 Rail: Data from the Pipeline and Hazardous Materials Safety Administration's online incident search, downloaded on 17 December 2018 at <https://hazmatonline.phmsa.dot.gov/IncidentReportsSearch/IncrSearch.aspx>; search was for crude oil incidents occurring on rail lines; pipelines: Pipeline and Hazardous Materials Safety Administration, *PHMSA Pipeline Safety- Flagged Incidents*, downloaded from <https://www.phmsa.dot.gov/data-and-statistics/pipeline/pipeline-incident-flagged-files> on 17 December 2018. Incidents were added from three separate files covering the years 2010 to present, 2002 to 2009, and 1986 to 2001 (only incidents from 2000 and on were counted). Quantities were converted from barrels to gallons for analysis; for the 1986 to 2001 file there were no units presented, so it was conservatively assumed that spill quantities were in gallons.

7 U.S. Environmental Protection Agency, *EPA-OW Literature Review of Livestock and Poultry Manure EPA 820-R-13-002*, July 2013.

8 Doug Gurian-Sherman, Union of Concerned Scientists, *CAFOs Uncovered*, 2008; U.S. Environmental Protection Agency, *Risk Assessment Evaluation for Concentrated Animal Feeding Operations*, 2004.

9 Ibid.

10 North Carolina Department of Environmental Quality, *DEQ Dashboard*, archived on 3 October 2018 at <http://web.archive.org/web/20181003142618/deq.nc.gov/news/deq-dashboard>.

- 11 Merritt Frey, Rachel Hopper and Amy Fredregill, Clean Water Network, the Izaak Walton League of America, and the Natural Resources Defense Council, *Spills and Kills: Manure Pollution and America's Livestock Feedlots*, August 2000, archived at <http://web.archive.org/web/20001025165521/www.cwn.org/docs/reports/spillkill/spillkillmain.htm>.
- 12 Environmental Working Group/Waterkeeper, *Exposing Fields of Filth* (press release), 21 June 2016.
- 13 Brady Dennis, Steven Mufson and Juliet Eilperin, "Dam Breach Sends Toxic Coal Ash Flowing into a Major North Carolina River," *Washington Post*, 22 September 2018.
- 14 U.S. Environmental Protection Agency, *EPA Response to Kingston TVA Coal Ash Spill*, archived on 28 December 2018 at <http://web.archive.org/web/20181228022817/www.epa.gov/tn/epa-response-kingston-tva-coal-ash-spill>; Samira J. Simone, "Tennessee Sludge Spill Runs Over Homes, Water," *CNN*, 24 December 2008.
- 15 Earthjustice, *Utilities Admit Coal Plants in 22 States Are Violating Federal and State Pollution Standards by Leaking Toxic Chemicals into Groundwater*, 19 December 2018, archived at <https://web.archive.org/web/20190123195857/earthjustice.org/news/press/2018/utilities-admit-coal-plants-in-22-states-are-violating-federal-and-state-pollution-standards-by-leaking-toxic-chemicals-into-groundwater>.
- 16 See Methodology for details.
- 17 U.S. Environmental Protection Agency, *2014 Coal Combustion Residual Regulatory Impact Analysis Appendices*, 17 April 2015, available at <https://www.regulations.gov/document?D=EPA-HQ-RCRA-2009-0640-12112>.
- 18 Based on fraction of all spills (6,648) from wastewater pits, see Table 1. Lauren Patterson et al., "Unconventional Oil and Gas Spills: Risks, Mitigation Priorities, and State Reporting Requirements," *Environmental Science and Technology*, DOI: 10.1021/acs.est.6b05749, 2017.
- 19 Shaila Dewan, "At Plant in Coal Ash Spill, Toxic Deposits by the Ton," *The New York Times*, 29 December 2008.
- 20 See note 14.
- 21 Barbara Gottlieb et al., Physicians For Social Responsibility and Earthjustice, *Coal Ash: The Toxic Threat to Our Health and Environment*, September 2010, archived at <http://web.archive.org/web/20181220194203/www.psr.org/wp-content/uploads/2018/05/coal-ash.pdf>.
- 22 Shaila Dewan, "Coal Ash Spill Revives Issue of Its Hazards," *The New York Times*, 24 December 2008.
- 23 Adam Hochberg, "Tenn. Coal Ash Spill Devastates Recovering River," *NPR*, 10 January 2009.
- 24 *Ibid.*
- 25 Laura Ruhl et al., "Environmental Impacts of the Coal Ash Spill in Kingston, Tennessee: An 18-Month Survey," *Environmental Science & Technology*, DOI: 10.1021/es1026739, 2010.
- 26 Jamie Satterfield, "Jury: Jacobs Engineering Endangered Kingston Disaster Clean-Up Workers," *Knox News*, 7 November 2018.
- 27 *Ibid.*
- 28 U.S. Environmental Protection Agency, *Coal Combustion Residue Impoundment Round 11 – Dam Assessment Report: Kingston Fossil Plant*, September 2012, available at https://archive.epa.gov/epawaste/nonhaz/industrial/special/fossil/web/pdf/tva_kingston_draft.pdf.
- 29 U.S. Environmental Protection Agency, *National Enforcement Initiative: Keeping Industrial Pollutants Out of the Nation's Waters*, archived on 28 December 2017 at <https://web.archive.org/web/20171228184615/www.epa.gov/enforcement/national-enforcement-initiative-keeping-industrial-pollutants-out-nations-waters-fiscal>.
- 30 See note 1.

31 For 2011, the last year summary information exists: Total toxic use was 16,982,979,844 pounds, compared to 171,563,788 pounds of waste (nonproduct output). State of New Jersey, *NJ Community Right to Know Survey and Release & Pollution Prevention Report Public Data Fact Sheet for 2011* (factsheet), 2011, archived at <http://web.archive.org/web/20170503001650/www.nj.gov/dep/enforcement/opppc/crtk/andyrppr/2011%20RPPR%20Data%20Fact%20Sheet.pdf>.

32 Ibid.

33 There were 9,800 fixed facility incidents in 2012. Among state incidents, 38 percent of fixed facility incidents were solid or liquid spills. This percentage was applied to the national number. National Toxic Substance Incidents Program, *Annual Report 2012, 2014*, archived at http://web.archive.org/web/20170427051815/www.atsdr.cdc.gov/ntsip/docs/atsdr_2012_annual_report.pdf.

34 Tony Briscoe and Michael Hawthorne, "Chicago Intends to Sue U.S. Steel after 2 Toxic Spills This Year, Mayor Says," *Chicago Tribune*, 20 November 2017.

35 See note 3.

36 Ibid.

37 See note 34; Michael Hawthorne, "U.S. Steel Dumps More Toxic Chromium Near Lake Michigan, Faces Lawsuit," *Chicago Tribune*, 15 November 2017.

38 U.S. Chemical Safety Board, *CSB Releases Final Report into 2014 Freedom Industries Mass Contamination...* (press release), 28 September 2016, archived at <http://web.archive.org/web/20180626170232/www.csb.gov/csb-releases-final-report-into-2014-freedom-industries-mass-contamination-of-charleston-west-virginia-drinking-water-final-report-notes-shortcomings-in-communicating-risks-to-public-and-lack-of-chemical-tank-maintenance-requirements/>.

39 Trip Gabriel, "Thousands Without Water After Spill in West Virginia," *The New York Times*, 10 January 2014; U.S. Chemical Safety and Hazard Investigation Board, Chemical Spill Contaminates Public Water Supply in Charleston, West Virginia, 9 January 2014; Suzanne Goldenberg, "West Virginia Water After the Spill: 'We Do Not Drink It. My Pets Do Not Drink It,'" *The Guardian*, 14 February 2014.

40 Ken Ward Jr., "What Is 'Crude MCHM'? Few Know," *Charleston Gazette-Mail*, 10 January 2014.

41 See note 39.

42 Katie Urbaszewski, "Bogalusa Paper Mill Admits Fault as Dead Fish Flow to Lake Pontchartrain," *The Times-Picayenne*, 17 August 2011; Benjamin Alexander-Bloch, "Thousands of Pearl River Fish Die After Bogalusa Paper Mill Discharge," *The Times-Picayune*, 15 August 2011.

43 U.S. Environmental Protection Agency, *Tin Pearl River Spill – LA*, accessed at https://response.epa.gov/site/site_profile.aspx?site_id=7169, 2 January 2018.

44 Benjamin Alexander-Bloch, "Thousands of Pearl River Fish Die After Bogalusa Paper Mill Discharge," *The Times-Picayune*, 15 August 2011.

45 See note 4.

46 Scott Huddleston, "Cleanup Completed from Refinery Spill on South Side," *San Antonio Express News*, 16 November 2018; U.S. National Library of Medicine, *Naphtha*, accessed at <https://toxnet.nlm.nih.gov/cgi-bin/sis/search/a?dbs+hsdb:@term+@DOCNO+2892> on 29 January 2019.

47 Frank Bajak and Lise Olsen, "Hurricane Harvey's Toxic Impact Deeper Than Public Told," *Associated Press and Houston Chronicle*, 23 March 2018.

48 Nancy Molnar, "Dover Chemical Sodium Hydroxide Spill Kills Sugar Creek Fish," *TimesReporter*, 12 October 2017.

49 James Bruggers, "Ford Co., MSD Face Fines After Chemical Kills Hundreds of Fish," *Courier Journal*, 24 July 2017.

- 50 See note 2.
- 51 See Methodology for details.
- 52 Chemistry Council of New Jersey, *New Jersey Industry Facts*, accessed at <http://www.chemistrycouncilnj.org/About/New-Jersey-Industry-Facts.aspx>, 2 January 2018.
- 53 U.S. Environmental Protection Agency, *National Priorities List (NPL) Sites – by State*, accessed at <https://www.epa.gov/superfund/national-priorities-list-npl-sites-state#NJ>, 2 January 2018.
- 54 New Jersey Department of Environmental Protection, *Office of Pollution Prevention and Right-to-Know*, accessed at <http://www.nj.gov/dep/enforcement/opppc.html>, 2 January 2018.
- 55 The total number of such facilities is almost certainly higher. Information is only readily available for the 3,365 facilities that are also required to report under the federal Emergency Planning and Community Right-to-Know Act (EPCRA); information is unavailable for the approximately 6,000 additional facilities that report to New Jersey’s Right-to-Know law, but not the federal law. New Jersey Department of Environmental Protection, *Active or Non-Active CRTK Facilities - by Municipality – Report Year: 2016*, downloaded from <https://www13.state.nj.us/DataMiner> on 10 September 2017.
- 56 See Methodology for details.
- 57 See note 5.
- 58 Association of Oil Pipelines, *U.S. Liquids Pipeline Usage & Mileage Report*, November 2015, archived at <http://web.archive.org/web/20180730155553/www.aopl.org/wp-content/uploads/2015/11/AOPL-API-Pipeline-Usage-and-Mileage-Report-2015.pdf>; Association of American Railroads, *U.S. Rail Crude Oil Traffic*, May 2017.
- 59 American Cancer Society, *Benzene and Cancer Risk*, accessed at <https://www.cancer.org/cancer/cancer-causes/benzene.html>, 29 December 2017.
- 60 Agency for Toxic Substances and Disease Registry, *Polycyclic Aromatic Hydrocarbons*, accessed at <https://www.atsdr.cdc.gov/csem/csem.asp?csem=13&po=11>, 29 December 2017.
- 61 U.S. Fish & Wildlife Service, “Effects of Oil on Wildlife and Habitat,” June 2010, archived at <http://web.archive.org/web/20181217190549/www.fws.gov/home/dhoilspill/pdfs/DHJICFWSOillImpactsWildlifeFactSheet.pdf>.
- 62 National Oceanic and Atmospheric Administration, *How Toxic Is Oil?*, archived on 15 January 2019 at <http://web.archive.org/web/20190115074208/response.restoration.noaa.gov/oil-and-chemical-spills/significant-incidents/exxon-valdez-oil-spill/how-toxic-oil.html>.
- 63 David Biello, “How Will the Oil Spill Impact the Gulf’s Dead Zone?” *Scientific American*, 3 June 2010.
- 64 See note 61.
- 65 Committee on the Effects of Diluted Bitumen on the Environment; Board on Chemical Sciences and Technology; Division on Earth and Life Studies; National Academies of Sciences, Engineering, and Medicine, *Spills of Diluted Bitumen from Pipelines: A Comparative Study of Environmental Fate, Effects, and Response*, 2016, available at <http://www.nap.edu/21834>.
- 66 Globalsecurity.org, *Terrain Evaluation and Verification*, accessed at <http://www.globalsecurity.org/military/library/policy/army/fm/5-33/ch2.pdf>, 29 December 2017.
- 67 Jacob Leibenluft, “Why Do Trains Go off the Tracks?” *Slate*, 19 May 2008.
- 68 Leigh Paterson and Jordan Wirfs-Brock, “Protesters Say Pipelines Are Dangerous. Are They?” *Inside Energy*, 18 November 2016.
- 69 Alison Sider and Nicole Friedman, “More Than Half of U.S. Pipelines Are at Least 46 Years Old,” *Wall Street Journal*, 2 November 2016.
- 70 See note 68.

71 Public Citizen, "TransCanada's Keystone XL Southern Segment: Construction Problems Raise Questions About the Integrity of the Pipeline," November 2013; "'Horrible' Pipeline Defects Prompt New Rules for Keystone XL Construction," *RT*, 28 May 2014.

72 U.S. Government Accountability Office, *Pipeline Safety: Department of Transportation Needs to Complete Regulatory, Data, and Guidance Efforts*, 29 September 2015, archived at <http://web.archive.org/web/20170617232600/www.gao.gov/assets/680/672809.pdf>; Pipeline and Hazardous Materials Safety Administration, *Gathering Pipelines FAQs*, archived on 27 January 2019 at <https://web.archive.org/web/20190127192312/www.phmsa.dot.gov/faqs/gathering-pipelines-faqs>.

73 Amanda MacMillan, NRDC, *Protecting Your Community from Crude Oil "Bomb Trains"*, 6 July 2016, accessed at <https://www.nrdc.org/stories/protecting-your-community-crude-oil-bomb-trains>.

74 See note 6.

75 CNN Wire Service, "Investigators Reveal Cause of Huge West Virginia Train Derailment and Fireball," *FOX6*, 9 October 2015.

76 Department of Justice, Department of Justice, EPA, *State of West Virginia Settle with CSX Transportation over 2015 Derailment and Oil Spill in Mount Carbon, W.Va.*, 24 July 2018, archived at <http://web.archive.org/web/20181015132538/www.justice.gov/opa/pr/department-justice-epa-state-west-virginia-settle-csx-transportation-over-2015-derailment-and>.

77 See note 75.

78 Kara Van Pelt, "5-CSX Train Hauling North Dakota Oil Derails, Cars Ablaze in W. Virginia," *Reuters*, 6 February 2015; U.S. Environmental Protection Agency, *CSX Transportation, Inc. Settlement Information Sheet*, archived on 8 October 2018 at <http://web.archive.org/web/20181008163155/www.epa.gov/enforcement/csx-transportation-inc-settlement-information-sheet>.

79 See note 6.

80 Holly Yan, "After Oil Spilled in Yellowstone River, Residents Told Not to Drink Water," *CNN*, 20 January 2015.

81 "Cancer-Causing Agent Found in Yellowstone River-sourced Water Supply after Pipeline Spill," *Associated Press*, 21 January 2015.

82 U.S. Department of the Interior and State of Montana, *Revised Partial Claim for Past and Future Assessment Costs January 2015 Bridger/Yellowstone River Oil Spill*, February 2018, available at https://www.cerc.usgs.gov/orda_docs/CaseDetails?ID=1121.

83 *Ibid.*

84 *Ibid.*

85 National Transportation Safety Board, *Crude Oil Pipeline Rupture and Spill*, archived at https://web.archive.org/web/20120630002212/www.nts.gov/investigations/2010/marshall_mi.html, 2 January 2018.

86 Enbridge, *Crude Oil and Liquids Pipelines Shippers*, archived on 13 December 2018 at <http://web.archive.org/web/20181213224054/www.enbridge.com/projects-and-infrastructure/for-shippers>.

87 Enbridge, *Infrastructure Map*, accessed at <https://www.enbridge.com/map#map:infrastructure,crudeinfrastructure>, 29 December 2017; Elizabeth McGowan and Lisa Song, "The Dilbit Disaster: Inside the Biggest Oil Spill You've Never Heard of," *Inside Climate News*, 26 June 2012.

88 National Transportation Safety Board, *Board Meeting: Marshall, MI – Enbridge, Inc. Hazardous Liquid Pipeline Rupture and Release*, 10 July 2012, archived at http://web.archive.org/web/20180809184237/www.nts.gov/news/events/Pages/2012_Marshall_MI_BMG.aspx.

89 Elizabeth McGowan and Lisa Song, "The Dilbit Disaster: Inside the Biggest Oil Spill You've Never Heard Of," *Inside Climate News*, 26 June 2012.

- 90 U.S. Environmental Protection Agency, *EPA Response to Enbridge Spill in Michigan*, accessed at <https://www.epa.gov/enbridge-spill-michigan>, 2 January 2018; Elizabeth McGowan and Lisa Song, "The Dilbit Disaster: Inside the Biggest Oil Spill You've Never Heard of," *Inside Climate News*, 26 June 2012.
- 91 Garret Ellison, "Kalamazoo River Oil Spill Timeline after 6 Years, Billion-Plus Dollars Spent," *Mlive*, 21 July 2016.
- 92 See note 89.
- 93 *Ibid.*
- 94 *Ibid.*
- 95 Diana Papoulias et al., U.S. Geological Survey, *Health Assessment and Histopathological Analyses of Fish Collected from the Kalamazoo River*, 2014, archived at <http://web.archive.org/web/20170530214051/www.fws.gov/midwest/es/ec/nrda/MichiganEnbridge/pdf/Papoulius2014EnbridgeFishHistopathFnlRprt03July2014.pdf>.
- 96 Sehvilla Mann, "WSW: Kalamazoo River Oil Spill Effects Not Getting Much Long-Term Study," *WMUK*, 21 March 2016.
- 97 See note 89.
- 98 See note 96.
- 99 See Methodology for details.
- 100 Upper Mississippi River Basin Association, *River and Basin Facts*, archived on 24 November 2017 at <http://web.archive.org/web/20171124035131/www.umrba.org/facts.htm>.
- 101 Oil Change International, *Crude-by-Rail Map: About & Sources*, archived on 16 January 2019 at <https://web.archive.org/web/20190116202756/priceofoil.org/rail-about/>.
- 102 U.S. Environmental Protection Agency, *EPA in Illinois: Galena Train Derailment*, archived on 16 January 2019 at http://web.archive.org/web/20190116230331/19january2017snapshot.epa.gov/il/galena-train-derailment_.html.
- 103 Tribune Staff, "BNSF: Oil Train Derailment Near Galena Involved Safer Rail Cars," *Chicago Tribune*, 6 March 2015.
- 104 Rail map: U.S. Department of Transportation, http://osav-usdot.opendata.arcgis.com/datasets/2553aa5e457349efb600502050bf9c3c_0;
- Rail SUBDIVs of BNSF line for analysis: AURORA, ST. CROIX, STAPLES, KO, CHICAGO (BNSF), ST PAUL; based on flood maps for: IL, WI, IA, MN, ND; Oil Change International data on oil loading and unloading stations downloaded from <http://priceofoil.org/rail-map/> on 20 January 2018.
- 105 *Ibid*; see Methodology for further details.
- 106 See Methodology for details.
- 107 Data from the U.S. Energy Information Administration is only available at a map scale of 1:1,000,000: U.S. Energy Information Administration, *Layer Information for Interactive State Maps*, accessed at https://www.eia.gov/maps/layer_info-m.php on 10 December 2018.
- 108 Data from the Keystone Mapping Project accessed at <http://keystone.steamngmules.com/maps/keystone-xl-google-earth-downloads/> on 1 November 2017.
- 109 Steven Mufson and Chris Mooney, "Keystone Pipeline Spills 210,000 Gallons of Oil on Eve of Permitting Decision for TransCanada," *Washington Post*, 16 November 2017.
- 110 "Anomalies – Including Dents and Welds – Found along Newly Laid Keystone XL Pipeline in Texas," *Public Citizen*, 30 May 2013.
- 111 See Methodology for details.
- 112 Image from Google Maps, accessed at <https://www.google.com/maps/@32.5488964,-95.1328718,717m/data=!3m1!1e3>.

113 National Transportation Safety Board, *Pipeline Accident Brief TransCanada Corporation Pipeline (Keystone Pipeline) Rupture*, 5 July 2018, archived at <https://web.archive.org/web/20190129183356/www.nts.gov/investigations/AccidentReports/Reports/PAB1801.pdf>.

114 Food & Water Watch, *Factory Farm Nation 2015 Edition*, May 2015, archived at <http://web.archive.org/web/20170708025808/www.foodandwaterwatch.org/sites/default/files/factory-farm-nation-report-may-2015.pdf>.

115 Ibid.

116 Ibid.

117 U.S. Environmental Protection Agency, *NPDES CAFO Permitting Status Report - National Summary, Endyear 2017*, 31 December 2017, archived at http://web.archive.org/web/20180703144158/www.epa.gov/sites/production/files/2018-05/documents/tracksum_endyear_2017.pdf; U.S. Environmental Protection Agency, *Regulatory Definitions of Large CAFOs, Medium CAFO, and Small CAFOs*, archived on 30 November 2018 at http://web.archive.org/web/20181130051854/www3.epa.gov/npdes/pubs/sector_table.pdf. For more see: Doug Gurian-Sherman, Union of Concerned Scientists, *CAFOs Uncovered*, 2008. In the report, UCS uses the USDA's definition of a CAFO as a farm containing at least 1,000 animal units, in which an animal unit is defined as an animal equivalent of 1,000 pounds live weight. 1,000 animal units therefore equates to "1,000 head of beef cattle, 700 dairy cows, 2,500 swine weighing more than 55 lbs, 125 thousand broiler chickens, or 82 thousand laying hens or pullets." U.S. Department of Agriculture, *Animal Feeding Operations*, archived on 9 September 2018 at <http://web.archive.org/web/20180909185438/www.nrcs.usda.gov/wps/portal/nrcs/main/national/plant-animals/livestock/afo/>.

118 See note 7.

119 Ibid.

120 Ibid; U.S. Environmental Protection Agency, *Risk Assessment Evaluation for Concentrated Animal Feeding Operations*, 2004.

121 Carrie Hribar, National Association of Local Boards of Health, *Understanding Concentrated Animal Feeding Operations and Their Impact on Communities*, 2010, archived at http://web.archive.org/web/20181107054302/www.cdc.gov/nceh/ehs/Docs/Understanding_CAFOs_NALBOH.pdf.

122 United States Department of Agriculture, *Conservation Practice Standard Waste Treatment Lagoon*, June 2017, archived at http://web.archive.org/web/20171207003826/www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs143_026002.pdf.

123 David Jackson and Gary Marx, "Spills of Pig Waste Kill Hundreds of Thousands of Fish in Illinois," *Chicago Tribune*, 5 August 2016.

124 J. M. Ham, "Seepage Losses From Animal Waste Lagoons: A Summary of a Four-Year Investigation in Kansas," *Transactions of the ASAE*, 45(4), 2002, archived at <http://web.archive.org/web/20150922081649/www.prairieswine.com:80/pdf/3034.pdf>; David Parker et al., "Seepage from Earthen Animal Waste Ponds and Lagoons - an Overview of Research Results and State Regulations," *Transactions of the ASABE*, 42(2), DOI: 10.13031/2013.13381, March 1999.

125 David Jackson and Gary Marx, "Spills of Pig Waste Kill Hundreds of Thousands of Fish in Illinois," *Chicago Tribune*, 5 August 2016.

126 Kate Clancy, Union of Concerned Scientists, *Greener Pastures*, March 2006, archived at http://web.archive.org/web/20180914172209/www.ucsusa.org/sites/default/files/legacy/assets/documents/food_and_agriculture/greener-pastures.pdf.

127 Study: Christopher Jones et al., "Livestock Manure Driving Stream Nitrate," *Ambio*, DOI: <https://doi.org/10.1007/s13280-018-1137-5>, 7 December 2018; article: Erin Jordan, "Research: Large Number of CAFOs in Western Iowa Increases Nitrate in Streams," *The Gazette*, 20 January 2019.

128 United Nations Environment Programme, *Where Nutrients Come From and How They Cause Eutrophication*, accessed at http://www.unep.or.jp/ietc/publications/short_series/lakereservoirs-3/3.asp, 2 January 2018.

- 129 See note 121; WSDA, *Silage Leachate: Another Reason to Walk Your Ditches* (fact sheet), August 2008; Exttoxnet, *Copper Sulfate (Pesticide Information Profile)*, May 1994, accessed at <http://pmep.cce.cornell.edu/profiles/exttoxnet/carbaryl-dicrotophos/copper-sulfate-ext.html>.
- 130 See note 11.
- 131 Robbin Marks, Natural Resources Defense Council, *Cesspools of Shame: How Factory Farm Lagoons and Sprayfields Threaten Environmental and Public Health*, July 2001.
- 132 See note 125.
- 133 See note 10; Charles Bethea, "Could Smithfield Foods Have Prevented the "Rivers of Hog Waste" in North Carolina After Florence?" *The New Yorker*, 30 September 2018.
- 134 Soren Rundquist, Environmental Working Group, *Exposing Fields of Filth: After Hurricane, First Detailed Look at Flooding of Feces-Laden N.C. Factory Farms*, 4 November 2016, archived at <http://web.archive.org/web/20171018105833/www.ewg.org:80/research/exposing-fields-filth-hurricane-matthew>.
- 135 Barry Goodwin and Daniel Hallstrom, Agricultural and Applied Economics Association, *Modeling Catastrophic Weather Events and the Risks of Animal Waste Spills in the Coastal Plain of North Carolina*, August 2004.
- 136 David Jackson and Gary Marx, "Waste Spill at Cargill Slaughterhouse Contaminates Waterways," *Chicago Tribune*, 5 August 2016.
- 137 Ibid.
- 138 Ibid.
- 139 "Huge Spill of Hog Waste Fuels an Old Debate in North Carolina," *The New York Times*, 25 June 1995.
- 140 John Burns, National Agricultural Law Center, *The Eight Million Little Pigs – A Cautionary Tale: Statutory and Regulatory Responses to Concentrated Hog Farming*, 1996; Jeff Tietz, "Boss Hog: The Dark Side of America's Top Pork Producer," *Rolling Stone*, 14 December 2006.
- 141 See note 131.
- 142 David Jackson and Gary Marx, "Spills of Pig Waste Kill Hundreds of Thousands of Fish in Illinois," *Chicago Tribune*, 5 August 2016.
- 143 Ibid.
- 144 Ibid.
- 145 Ibid.
- 146 See note 12.
- 147 Ibid.
- 148 Animal operation location data downloaded from: North Carolina Department of Environmental Quality, *Animal Operation Permits – Open Data Page*, 7 November 2016, accessed at <https://data-ncdenr.opendata.arcgis.com/datasets/animal-operation-permits-> on 4 October 2018.
- 149 American Coal Ash Association, *2016 Coal Combustion Product (CCP) Production & Use Survey Report*, archived at <https://web.archive.org/web/20171228210104/www.acaa-usa.org/Portals/9/Files/PDFs/2016-Survey-Results.pdf>, 28 December 2017.
- 150 Based on coal plants with on-site impoundments that are "operable." U.S. Energy Information Administration, *Form 860 2017*, 13 September 2018, downloaded from <https://www.eia.gov/electricity/data/eia860/>.
- 151 University of Kentucky Center for Applied Energy Research, *Coal Combustion By-Products*, archived at <https://web.archive.org/web/20171228211553/www.caer.uky.edu/kyasheducation/whathappens.shtml>, 28 December 2017.
- 152 Federal Register, Hazardous and Solid Waste Management System, *Disposal of Coal Combustion Residuals from Electric Utilities - 80 FR 21301 (EPA rule)*, 17 April 2015.

- 153 See note 21.
- 154 U.S. Environmental Protection Agency, *Environmental Assessment for the Effluent Limitations Guidelines and Standards for the Steam Electric Power Generating Point Source Category*, September 2015, available at <https://www.federalregister.gov/documents/2015/11/03/2015-25663/effluent-limitations-guidelines-and-standards-for-the-steam-electric-power-generating-point-source>.
- 155 Ibid.
- 156 Ibid.
- 157 Mara Hvistendahl, "Coal Ash Is More Radioactive Than Nuclear Waste," *Scientific American*, 13 December 2007.
- 158 Ibid.
- 159 A. Dennis Lemly, "Damage Cost of the Dan River Coal Ash Spill," *Environmental Pollution*, 197(2015):55-61, doi 10.1016, 30 November 2014.
- 160 Ibid.
- 161 Shaila Dewan, "Hundreds of Coal Ash Dumps Lack Regulation," *The New York Times*, 6 January 2009.
- 162 Assuming Olympic swimming pools have capacity of 2.5 million liters. U.S. Environmental Protection Agency, *Frequent Questions about the Coal Ash Disposal Rule*, archived at <https://web.archive.org/web/20171228213108/www.epa.gov/coalash/frequent-questions-about-coal-ash-disposal-rule>, 28 December 2017.
- 163 Samantha Page, "Watchdog Group Uncovers a Coal Ash Spill after Hurricane Flooding," *ThinkProgress*, 21 October 2016.
- 164 See note 13.
- 165 Shaila Dewan, "Tennessee Ash Flood Larger than Initial Estimate," *The New York Times*, 26 December 2008.
- 166 Ibid.
- 167 Ibid.
- 168 U.S. Environmental Protection Agency, *Coal Combustion Residuals Impoundment Assessment Reports*, archived at <https://web.archive.org/web/20171228214804/archive.epa.gov/epawaste/nonhaz/industrial/special/fossil/web/html/index-4.html>, 24 June 2016.
- 169 Earthjustice, *Coal Ash Contaminated Sites & Hazard Dams*, accessed at <https://earthjustice.org/features/map-coal-ash>, 28 December 2017.
- 170 See note 162.
- 171 Emily Atkin, "EPA Will Not Declare Coal Ash a Hazardous Waste," *ThinkProgress*, 19 December 2014.
- 172 See note 161.
- 173 See note 15.
- 174 Earthjustice, *Coal Ash Contaminated Sites & Hazard Dams*, accessed at <https://earthjustice.org/features/map-coal-ash>, 28 December 2017.
- 175 The judge in the case ruled that "There is substantial evidence that the surrounding groundwater is hydrologically connected to the Cumberland River and that some of that groundwater contains coal ash pollutants in significant levels." Findings of Fact & Conclusions of Law, *United States District Court Middle District of Tennessee Nashville Division*, 4 August 2017; Emily Atkin, "Is Coal Waste Leaching into America's Drinking Water?" *New Republic*, 12 March 2018; Southern Environmental Law Center, *Victory for Clean Water and Communities in Coal Ash Lawsuit Against TVA* (press release), 4 August 2017, archived at <https://web.archive.org/web/20180403205043/www.southernenvironment.org/news-and-press/press-releases/victory-for-clean-water-and-communities-in-coal-ash-lawsuit-against-tva>.
- 176 Ibid.

- 177 U.S. Department of the Interior, *Dan River Coal Ash Spill*, accessed at https://www.cerc.usgs.gov/orda_docs/CaseDetails?ID=984, 28 December 2017; U.S. Environmental Protection Agency, *Duke Energy Coal Ash Spill in Eden NC: History and Response Timeline*, accessed at <https://www.epa.gov/dukeenergy-coalash/history-and-response-timeline>, 28 December 2017; distance from water: Data from Google Maps, accessed at <https://www.google.com/maps/place/Dan+River+Steam+Station/@36.4915111,-79.7217537,17z/data=!3m1!4b1!4m5!3m4!1s0x8852c0152f81ec7b:0x6a917c4c533c58a8!8m2!3d36.4915111!4d-79.7195704>.
- 178 Margaret Talbot, "Dirty Politics," *The New Yorker*, 2 April 2018.
- 179 Craig Jarvis, "Dan River Coal Ash Spill Damage Could Top \$300 Million," *The News & Observer*, 26 November 2014.
- 180 U.S. Fish and Wildlife Service, *U.S. Fish and Wildlife Service Responds to Coal Ash Release to the Dan River in North Carolina and Virginia* (factsheet), archived on 7 March 2017 at <http://web.archive.org/web/20170307081003/www.fws.gov/southeast/pubs/facts/DanRiverCoalAshReleaseFacts.pdf>; Carter Coyle, "Dead Turtles Found on Dan River Bank after Coal Ash Spill," *Fox8*, 17 February 2014.
- 181 Carter Coyle, "Dead Turtles Found on Dan River Bank after Coal Ash Spill," *Fox8*, 17 February 2014..
- 182 David Hurst, "February Makes 3rd Anniversary of Dan River Coal Ash Spill," *CBS South Carolina*, 2 February 2017.
- 183 See note 165.
- 184 Gideon Bartove et al., "Environmental Impacts of the Tennessee Valley Authority Kingston Coal Ash Spill. 1. Source Apportionment Using Mercury Stable Isotopes," *Environmental Science & Technology*, doi/10.1021, 16 November 2012; Scott Barker, "Fly Ash Spill Study Finds Selenium in Fish," *Knoxville News Sentinel*, 19 May 2009.
- 185 Pam Sohn, "2 Years Later, Effects from Kingston Ash Spill Being Felt," *Times Free Press*, 22 December 2010.
- 186 See note 26.
- 187 Ibid.
- 188 Carol Eimers, Tennessee Valley Authority, *Completion Report for TVA Kingston Fossil Plant Fly Ash*, 22 April 2015, archived at <https://web.archive.org/web/20180316203434/semspub.epa.gov/work/04/11015838.pdf>.
- 189 See Methodology for details.
- 190 See note 17.
- 191 See note 168.
- 192 See Methodology for details.
- 193 Ibid.
- 194 Ohio River Foundation, *Ohio River Factsheet (factsheet)*, accessed at http://www.ohioriverfdn.org/about_the_river/documents/ohioriverfactsversion2.pdf.
- 195 U.S. Fish and Wildlife Service, *Ohio River Islands: Life and Habitat*, accessed at https://www.fws.gov/refuge/ohio_river_islands/wildlife_and_habitat/index.html.
- 196 See note 17.
- 197 U.S. Environmental Protection Agency, *Assessment of Dam Safety Coal Combustion Surface Impoundments (Task 3) Final Report*, 26 March 2010, archived at <http://web.archive.org/web/20170428032725/archive.epa.gov/epawaste/nonhaz/industrial/special/fossil/web/pdf/dpl-stuart-final.pdf>.
- 198 U.S. Environmental Protection Agency, *The Process of Hydraulic Fracturing*, accessed at <https://www.epa.gov/hydraulicfracturing/process-hydraulic-fracturing>.
- 199 Fracktracker, *What Is Fracking Fluid?* accessed at <https://www.fracktracker.org/resources/oil-and-gas-101/fracking-fluid/>.

200 Tanya Gallegos et al., "Hydraulic Fracturing Water Use Variability in the United States and Potential Environmental Implications," *Water Resources Research*, 51, 5839–5845, doi: 10.1002/2015WR017278, 2015; Elizabeth Ridlington and John Rumpler, Frontier Group and Environment America Research & Policy Center, *Fracking by the Numbers*, October 2013, available at <http://www.frontiergroup.org/sites/default/files/reports/Fracking%20by%20the%20Numbers%20web.pdf>

201 Water & Wastewater International, *Fracking Wastewater Management*, accessed at <http://www.waterworld.com/articles/wwi/print/volume-28/issue-5/regional-spotlight-us-caribbean/fracking-wastewater-management.html>.

202 Elizabeth Ridlington and John Rumpler, Frontier Group and Environment America Research & Policy Center, *Fracking by the Numbers*, October 2013.

203 Deirdre Lockwood, "Toxic Chemicals from Fracking Wastewater Spills Can Persist for Years," *Chemical & Engineering News*, 20 May 2016.

204 Elise Elliott, "A Systematic Evaluation of Chemicals in Hydraulic-Fracturing Fluids and Wastewater for Reproductive and Developmental Toxicity," *Journal of Exposure Science and Environmental Epidemiology*, 27:90–99, DOI: 10.1038/jes.2015.81, 25 September 2015.

205 Ibid.

206 U.S. Environmental Protection Agency, *Hydraulic Fracturing for Oil and Gas*, 2016, available at <https://cfpub.epa.gov/ncea/hfstudy/recordisplay.cfm?deid=332990>; Valeria Brown, "Radionuclides in Fracking Wastewater: Managing a Toxic Blend," National Institutes of Health, doi: 10.1289/ehp.122-A50, 1 February 2014.

207 U.S. Environmental Protection Agency, *Hydraulic Fracturing for Oil and Gas: Impacts from the Hydraulic Fracturing Water Cycle on Drinking Water Resources in the United States*, 2016, archived at <https://web.archive.org/web/20190129173455/cfpub.epa.gov/ncea/hfstudy/recordisplay.cfm?deid=332990>.

208 Zachary Podmore, "Fracking along the Colorado River: A Report from a Kayak," *Huffington Post*, 6 November 2012.

209 Gayathri Vaidyanathan, "Fracking Can Contaminate Drinking Water," *ClimateWire*, 4 April 2016.

210 See note 207.

211 Stefanie Spear, "Worst Fracking Wastewater Spill in North Dakota Leaks 3 Million Gallons into River," *EcoWatch*, 23 January 2015.

212 Mary Tiemann and Adam Vann, Congressional Research Service, *Hydraulic Fracturing and Safe Drinking Water Act Regulatory Issues*, 13 July 2015.

213 U.S. Environmental Protection Agency, *Natural Gas Extraction – Hydraulic Fracturing*, archived at <http://web.archive.org/web/20171202203704/www.epa.gov/hydraulicfracturing>, 29 December 2017.

214 Nathan Richardson et al., Resources for the Future, *The State of State Shale Gas Regulation*, June 2013, archived at http://web.archive.org/web/20180807005959/www.rff.org/files/sharepoint/WorkImages/Download/RFF-Rpt-StateofStateRegs_Report.pdf.

215 Ibid.

216 Julie Cart, "Hundreds of Illicit Oil Wastewater Pits Found in Kern County," *Los Angeles Times*, 26 February 2015.

217 See note 18.

218 Cara Byington, "Fracking Studies Reveal Need for Standard Reporting Requirements on Spills," *Nature Blog*, 21 February 2017.

219 Diana Papoulias and Anthony Velasco, "Histopathological Analysis of Fish from Acorn Fork Creek, Kentucky Exposed to Hydraulic Fracturing Fluid Releases," *Southeastern Naturalist* 12(sp4), doi: 10.1656/058.012.s413, 2013; Amy Mall, "Fracking Wastewater Spill Kills Rare Fish in KY, Puts Entire Species at Risk," *EcoWatch*, 29 August 2013.

220 Teachengineering.org, *pH Values of Common Substances*, accessed at https://www.teachengineering.org/content/cub_/activities/cub_air/cub_air_lesson06_activity2_phvalues.pdf.

221 U.S. Fish and Wildlife Service, *Case at a Glance: U.S. v. Nami Resources Company, LLC*, archived on 6 March 2017 at <http://web.archive.org/web/20170306132443/www.fws.gov/home/feature/2009/pdf/NamiInvestigation.pdf>.

222 Renee Jean, "Blacktail Creek Spill Anniversary Comes and Goes with Yet Another Spill," *Williston Herald*, 12 January 2016.

223 Weston Solutions, Inc., United States Environmental Protection Agency, *Removal Assessment Report for Blacktail Creek Spill, Williston, Williams County, North Dakota*, March 2015.

224 See note 222.

225 Ibid.

226 Amy Dalrymple, "Spill Contamination Lingered Years Later, Study Says," *Billings Gazette*, 30 April 2016.

227 SkyTruth 2015 data (file: pa15_wetcentroid) downloaded from https://skytruth-org.carto.com/viz/65cc4df4-a148-11e6-a65f-0ecd1babdde5/public_map.

228 Pennsylvania Code § 78a.59c. *Centralized Impoundments*, available at <https://www.pacode.com/secure/data/025/chapter78a/s78a.59c.html>.

229 Based on Google Maps imagery from 2019, available at <https://www.google.com/maps/@41.3108873,-76.9110024,320m/data=!3m1!1e3>.

230 See Methodology for details.

231 Image from Google Maps, accessed at <https://www.google.com/maps/@41.3108873,-76.9110024,320m/data=!3m1!1e3>.

232 U.S. Environmental Protection Agency, *Using the Drinking Water State Revolving Fund for Source Water Protection Loans* (fact sheet), 2015, archived at <http://web.archive.org/web/20170802115631/www.epa.gov/sites/production/files/2015-04/documents/landmanage.pdf>.

233 Flood zone data: Only zones corresponding to 100-year flood zones were considered for analysis; data downloaded from: Federal Emergency Management Agency, *FEMA Cloud GIS Infrastructure Production Site - National Flood Hazard Layer*, downloaded from https://data.femadata.com/FIMA/Risk_MAP/NFHL/ on 12 December 2017; waterway data: Although higher resolution water data is available, higher resolution data was impracticable for national-scale analysis. Downloaded from <https://www.epa.gov/waterdata/get-data> on 1 September 2018. Release dates for the feature layers vary by geographic region.

234 Data for 2017 was downloaded on 17 December 2018 from <https://www13.state.nj.us/DataMiner>. Data was found using the "Search by Category" tool, selected for "Community Right to Know." The full list of sites was then found by selecting all municipalities through the "Active or Non-Active CRTK Facilities - by Municipality" query.

235 U.S. Energy Information Administration, *Form 860 2017*, 13 September 2018, downloaded from <https://www.eia.gov/electricity/data/eia860/>.

236 One generating facility located in a flood zone – the coal plant at the Morton Salt industrial facility in Rittman, Ohio – was not included in the final count, because U.S. Energy Information Administration data indicates that the plant no longer operates, and no ponds were listed in the EPA coal ash survey cited in note 54: U.S. Energy Information Administration, *Form EIA-923 for January 2018*, available at <https://www.eia.gov/electricity/data/eia923/>. Another plant that no longer burns coal – the Crisp Plant in Warwick, Georgia – was included, because the site did have a coal ash pond included in the EPA survey, although news reports indicate the pond is in the process of being closed and excavated: Crisp County Power Commission, *Environment – CCR Rule Compliance Data and Information*, archived at <https://web.archive.org/web/20180419204615/crispcountypower.com/ccr-rule>.

237 Landon Stevens et al., *Strata, The Footprint of Energy: Land Use of U.S. Electricity Production*, June 2017, archived at <http://web.archive.org/web/20180107052822/www.strata.org:80/pdf/2017/footprints-full.pdf>.

238 U.S. Department of Transportation, *Geospatial at the Bureau of Transportation Statistics - North American Rail Lines*, downloaded from https://osav-usdot.opendata.arcgis.com/datasets/f15d9e40cd1d4170a36bf31d4e6a3c28_0 on 10 September 2017.

239 CSV data downloaded from: Oil Change International, *North American Crude by Rail*, 16 September 2015, available at <http://priceofoil.org/rail-map/>.

240 Data from the Keystone Mapping Project, accessed at <http://keystone.steamimgules.com/maps/keystone-xl-google-earth-downloads/>.

241 SkyTruth 2015 data (file: pa15_wetcentroid) downloaded from https://skytruth-org.carto.com/viz/65cc4df4-a148-11e6-a65f-0ecd1babdde5/public_map.